

Custom Engineered Solutions for Tomorrow A Global Leader in the Design, Development, and Manufacture of Sensor and Magnetic Components

Series Datasheet – Magnetic Floats

www.standexmeder.com



The MS magnetic float products are comprised of buoyant materials containing a built-in magnet (s) and are used in conjunction with our LS Level Sensor series. Choose from various styles, dimensions and buoyant materials such as Polyamide (PA), Polypropylene (PP), Nitrile Butadiene Rubber (NBR) and Stainless Steel (V2A) depending on your application.

Part-Description:



Series	Options
01, 02, 03, 04, 06, 07, 08, 09, 10	NBR, PA, PP, S

Series	Material	Outside Dia.	Inside Dia.	Height	Use with Sensor	
MS01-NBR	NBR	24.5	8.0	19.0		
MS02-NBR	NBR	25.0	9.15	16.5	LS01, LS02, LS02-S, LS04,	
MS01-PA	PA	23.5	8.5	19.0	LS05	
MS02-PA	PA	25.0	9.15	16.55		
MS07-PA	PA	36.0	16.15	19.0	All Reed Switches	
MS01-PP	PP	23.5	8.4	19.0	_	
MS02-PP	РР	25.2	9.15	16.55		
MS03-PP	PP	27.0	11.0	11.7	– LS01, LS02, LS02-S, LS04, – LS05 –	
MS04-PP	РР	18.5	10.2	20.0		
MS08-PP	PP	20.0	9.15	16.0		
MS06-PP	PP	30.0	8.0	8.0	All Reed Sensors	
MS09-S	V2A	24.0	9.5	24.0	- LS02-S, LS05	
MS10-S	V2A	38.3	9.5	26.3		
* All Dimensions in mm						



+1.866.782.6339 +49.7731.8399.0 +86.21.37820625 | salesusa@standexmeder.com | info@standexmeder.com | salesasia@standexmeder.com



Custom Engineered Solutions for Tomorrow

INICS

Series Datasheet – Magnetic Floats

A Global Leader in the Design, Development, and Manufacture of Sensor and Magnetic Components

www.standexmeder.com

Glossary Material					
РР	Polypropylene	 Water absorption Only 0.1% water absorption gives PP Floats excellent buoyancy Resistance Resistant to many chemical solves, bases and acids Many applications Excellent choice for water-level sensors, automotive applications (e.g. brake fluid reservoirs) and manufacturing and plant equipment applications 			
PA	Polyamide	 Resistance for many chemicals Ideal solution in fuel tanks, oil containers and many more Very high strength-to-weight ratio Shock and abrasion resistant as well as capable of enduring a 5 bar pressure (73 PSI or 0.5 Mpa) 			
NBR	Nitrile Butadiene Rubber	 Acceptable for high and low temperature applications Under certain conditions temperature resistance up to 120°C, stable as low as -40°C Resistance to Oil and Fuels Minimal absorption of gasoline, benzene, alcohol and toluene (consult engineering for details) Mechanical Strength Floats are ebonite (very strong hard rubber) suitable for insertion of metals or magnets within the NBR Pressure Resistance Stable buoyancy is achieved with specific gravities up to 0.3kg/cm³, and negligible water absorption with pressures up to 3 Mpa (30 bar) Almost no dimensional change Minimal dimensional effects particularly when measuring Cp's and Cpk's 			
S	Stainless Steel	 High Temperatures Resistant for high temperatures (>160°C), making them an ideal float switch magnet for fluid level sensing in the Food and Beverage Industry Pressure Resistance Stainless Steel Floats have a hollow buoyant structure combined with their strengths makes them an excellent choice for use in high pressure tans Magnet fully contained within the float Actuator magnet is contained within the float therefore fully protected from the liquid material 			

Suitability of Materials			
Conditions	NBR	Plastic Foam	Stainless Steel
Cut and Break	+	0	+
Temperature Resistance	0	0	+
Resistance to Fuels, Oil	+	+	0
Shock Resistance	+	0	0
Metal Inserts	+	0	+
Magnet Inserts	+	+	+
Water Pressure Resistance	0	+	0
Anti-Corrosion	+	+	0
Price Range	+	+	0
Food Applications	-	+	+
Drinking Water	-	+	+
+ = Ideal o = Suitable - = Not Suitable			



USA: +1.866.782.6339 Europe: +49.7731.8399.0 Asia: +86.21.37820625 | salesusa@standexmeder.com | info@standexmeder.com | salesasia@standexmeder.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Standex Electronics:

MS06/1-PP MS06/2-PP MS01-PP FLOATING MAG MS01-PA MS07-PA