

ADP-SMAM-RPSF-G ✓ ACTIVE

TE Internal #: ADP-SMAM-RPSF-G

In-Series Adapter, Straight, SMA, Plug Side A, SMA, Jack Side B, 1
Position

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Adapters & Connector Savers



Connector Interface Adapter Type: **In-Series Adapter**

Body Orientation: **Straight**

Side A Interface: **SMA**

Side A Gender: **Plug**

Side B Interface: **SMA**

Features

Product Type Features

Connector Interface Adapter Type	In-Series Adapter
Side A Interface	SMA
Side A Gender	Plug
Side B Interface	SMA
Side B Gender	Jack

Configuration Features

Number of Positions	1
---------------------	---

Electrical Characteristics

Impedance	50 Ω
-----------	-------------

Body Features

Hermetically Sealed	No
Body Plating Material	Gold
Body Material	Brass

Contact Features

RF Connector Center Contact Plating Material	Gold
RF Connector Center Contact Material	Brass

Mechanical Attachment

RF Contact Captivation Method	Mechanical
-------------------------------	------------



Housing Features

Body Orientation	Straight
------------------	----------

Usage Conditions

Operating Temperature Range	-65 – 165 °C[-85 – 329 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Quantity	100
Packaging Method	Bag

Other

Dielectric Material	PTFE
---------------------	------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # CONSMA001-C-G
SMA Jack 50 Ohm PCB Through Hole



TE Part # CONSMA002-L-G
SMA Jack 50 Ohm PCB Through Hole



TE Part # CONSMA008-G
SMA Jack 50 Ohm Through Hole PCB




TE Part # CONSMA011-G
SMA Jack 50 Ohm Cable Crimp

Customers Also Bought



TE Part #2328118-2
LUMAWISE ENDURANCE N
SHORTING CAP W/SUR



TE Part #1-2201197-0
0.4 STACKING CONN H0.98 REC
ASSEMBLY



TE Part #42710-1
205 FASTON REC 22-18 AWG BR
ASSEMBLY



TE Part #ADP-RPSM-SMAF-G
RP-SMA Plug to SMA Jack




TE Part #ADP-SMAM-SMAM-G
SMA Plug to SMA Plug



TE Part #ANT-5GW-SPS1-1
Antenna 5G LTE IP67 Puck RG174 1M
SMA



TE Part #ANT-916-MHW-SMA-S
Antenna 916MHz Dipole MHW Short
SMA



TE Part #ANT-916-WRT-RPS
Antenna Dome Compact 916MHz
RG174 RPS



TE Part #ANT-LTE-MON-SMA-L
Antenna MON-L LTE/GPS Swivel SMA



TE Part #CONMMCX012
MMCX Jack 50 Ohm Cable Crimp

Documents

[Product Drawings](#)
[SMA Plug to RP-SMA Jack](#)

English

CAD Files

[3D PDF](#)

[3D](#)



Customer View Model

[ENG_CVM_CVM_ADP-SMAM-RPSF-G_B1.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_ADP-SMAM-RPSF-G_B1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_ADP-SMAM-RPSF-G_B1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[ADAPTER, SMA PLUG \(MALE PIN\) TO RPSMA JACK \(MALE PIN\), GOLD](#)

English