

2906091

https://www.phoenixcontact.com/us/products/2906091

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in fuse (TE5®); Nominal current: 200 mA; Tripping behavior: Fast-blow (F)

Commercial data

Item number	2906091
Packing unit	10 pc
Minimum order quantity	1 pc
Sales key	C421
Product key	CK2BZ1
GTIN	4055626388342
Weight per piece (including packing)	4.4 g
Weight per piece (excluding packing)	4.4 g
Customs tariff number	85361010
Country of origin	MX



2906091

https://www.phoenixcontact.com/us/products/2906091

Technical data

Notes

Notes on operation	For proper use, the specifications of the installation directive (see Downloads) must be observed. For applications or use with third-party products, the specifications, and the safety and warning instructions of the respective third-party manufacturer must also be met.
--------------------	--

Product properties

Product type	Fuse
Number of fuses in the set	10

Electrical properties

Tripping characteristic	fast-blow (F)
Rated voltage	250 V
Maximum power dissipation for nominal condition	0.21 W
Nominal current I _N	200 mA
Fuse	TE5



2906091

https://www.phoenixcontact.com/us/products/2906091

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/2906091



EAC

Approval ID: RU C-DE.BL08.B.00724



2906091

https://www.phoenixcontact.com/us/products/2906091

Classifications

UNSPSC 21.0

ECLASS

ECLASS-12.0	27142008	
ECLASS-11.0	27142008	
ECLASS-13.0	27142008	
ETIM		
ETIM 9.0	EC002298	
UNSPSC		

39121600



2906091

https://www.phoenixcontact.com/us/products/2906091

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com