



AMP 4805 REV 31MAR2000

THIS DRAWING IS A CO DIMENSIONS: mm \bigcirc TERIAL $1\sqrt{2}\sqrt{3}$



					l
		3.56 [.140]	6	1-145169-2	
SUPERSE	DED BY 5145169-8	3.18 [.125]		145169-8	<u> </u>
		2.54 [.100]	Â	145169-4	
		2.54 [.100]	A	145169-3	F
	OBSOLETE	2.54 [.100]		145169-2	<u> </u>
	AOBSOLETE	2.54 [.100]		145169-1	
		W	FINISH	PART NUMBER	Д
CONTROLLED DOCUMENT.	DWN6/12/95R BROWNFigure 6/12/95CHK6/12/95M DOWERS6/12/95Harrisburg, Pa 17105-3608				
0 PLC $\pm -$ 1 PLC $\pm -$ 2 PLC $\pm .01$ 3 PLC $\pm .005$	M BOWERS APVD - NAM - PRODUCT SPEC 108-14034 APPLICATION SPEC	e Connec	TOR ASSEM JAL POSITIC 5, STANDAR	DN,	
$\begin{array}{c cccc} 4 & PLC & \pm & - \\ \hline ANGLES & \pm & 2^{*} \\ \hline FINISH & \\ & & & & & & \\ \end{array}$	<u>114-26012</u> А	ze cage code drawing no 1 00779 C= 145	169	RESTRICTED TO	
	CUSTOMER DRAWING	SC/	ALE 4:1 SH	eet of Rev 1 2 H1	



AMP 4805 REV 31MAR2000

THIS DRAWING IS A						
DIMENSIONS:						
mm						
\oplus						
material SEE SHEET 1						

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: <u>1-145169-2</u>