ANT-2.4-CW-RCT-SS
 \checkmark active

TE Internal #: L9000032-01 Terminal/Duck Antenna, Single Band, Bluetooth / ISM / Zigbee, External Mount, Stud/Screw/Lug Mount, SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi

View on TE.com >

Antennas

-TE

Wireless Application: Bluetooth, ISM, Zigbee

Mounting Location: External

Mounting Type: Stud/Screw/Lug Mount

Frequency Category: 2400 – 2500

Antenna Type: Terminal/Duck

Features

Product Type Features

Configuration Features	
Antenna Product Type	Antenna
Antenna Termination	SMA



Antenna Style	Whip		
Mounting Location	External		
Antenna Type	Terminal/Duck		
Band Type	Single Band		
Port Configuration	Single Port		
Electrical Characteristics			
VSWR (Max)	<1.9:1		
Impedance	50 Ω		
Signal Characteristics			
Gain (Max)	2.2 dB		
Frequency Band	2400 – 2485 MHz		
Frequency Category	2400 – 2500		
Peak Gain	0 < 3 dBi		
Body Features			
Product Weight	10.75 g[.37918 oz]		

C For support call+1 800 522 6752

ANT-2.4-CW-RCT-SS

Terminal/Duck Antenna, Single Band, Bluetooth / ISM / Zigbee, External Mount, Stud /Screw/Lug Mount, SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi



Mechanical Attachment

Polarization	Linear			
Mounting Type	Stud/Screw/Lug Mount			
Dimensions				
Product Width	10 mm[.39 in]			
Product Length	113 mm[4.45 in]			
Product Height	0 mm[0 in]			
Operation/Application				
Antenna Environment	Outdoor			
Directionality	Omnidirectional			
Industry Standards				
Wireless Application	Bluetooth, ISM, Zigbee			
Primary Application	Bluetooth, ISM, Zigbee			

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant with Exemptions

	EU ELV Directive 2000/53/EC	Not Yet Reviewed
	China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
	EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (.31% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
	Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
	Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part

ANT-2.4-CW-RCT-SS

Terminal/Duck Antenna, Single Band, Bluetooth / ISM / Zigbee, External Mount, Stud /Screw/Lug Mount, SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts




SMA Jack 50 Ohm PCB Surface Mount

RP-SMA RA Jack 50 Ohm PCB Surface Mount

Mount

Customers Also Bought



ANT-2.4-CW-RCT-SS

Terminal/Duck Antenna, Single Band, Bluetooth / ISM / Zigbee, External Mount, Stud /Screw/Lug Mount, SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi



TE Part #65008-D02 TE Part #CTS-S16-16 RAIL ASSY CONT SOC ASSY

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_L9000032-01_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_L9000032-01_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_L9000032-01_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages ANT-2.4-CW-RCT-xx

English