



**Part Number :** [1201030003](#)

**Product Description :** PROFIBUS Attachable D-Sub Connector with Diagnostics LEDs and Programming Port, 45° Angle

**Series Number :** 120103

**Status :** Active

**Product Category :** Circular Industrial Connectors

**Engineering Number :** PA9D0B-42



---

## Documents & Resources


### Drawings

[1201030003\\_sd.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Reviewed per IEC 61249-2-21
REACH SVHC	Not Contained per D(2022)9120-DC (17 Jan 2023)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## Part Details

### General

Status	Active
Category	Circular Industrial Connectors
Series	120103
Description	PROFIBUS Attachable D-Sub Connector with Diagnostics LEDs and Programming Port, 45° Angle
IP Rating	IP67
Product Name	D-Sub,PROFIBUS
Type	Field Attachable Connector
UPC	78678899265

### Electrical

Current - Maximum per Contact	4.0A
Voltage - Maximum	30V

### Physical

Cable Diameter	N/A
Coupling Type	D-Sub
Diagnostics / LEDs	Yes
Diagnostics Port	Yes
Gender	N/A
Keyway	None
Material - Connector Body	Zinc Die-Cast
Material - Contact	N/A
Material - Coupling Nut	N/A
Material - Plating Mating	n/a
Net Weight	89.811/g
Orientation	45° Angle
Poles	N/A
Temperature Range - Operating	-20°C to +80°C
Wire Size (AWG)	N/A

---

---

This document was generated on Nov 02, 2024