

Corcom | Corcom M

TE Internal #: 2-6609129-7

Power Entry Module, Quad AC Input, No Switch, Filter Shield, Vertical, 5A Current Rating, .110" FASTON Output, Corcom M,

Multi-Function Inlet Filters

View on TE.com >



EMI & EMC Solutions > EMI Filters > Multi-Function Inlet Filters > CORCOM M SERIES MULTI-FUNCTION INLET FIL











Filter Type: Power Entry Module
Input Voltage Selection: Quad AC
Filter Switch Type: No Switch
Filter Shield Type: Filter Shield
Product Orientation: Vertical

All CORCOM M SERIES MULTI-FUNCTION INLET FIL (28)

Features

Product Type Features

Input Voltage Selection

Leakage Current (Max) (120VAC, 60Hz)

Leakage Current (Max) (250VAC, 50Hz)

Troduct Type readines	
Ground Choke Option	No
Filter Type	Power Entry Module
Filter Switch Type	No Switch
Output Termination Type	.110" FASTON
Filtering Requirements	Filtered
Filter Connector Type	IEC 320/C-14
Configuration Features	
Fuse Options	Dual, Single
Electrical Characteristics	

Quad AC

250 μΑ

500 μΑ



Current Rating	5 A
Operating Voltage	100 VAC, 120 VAC, 230 VAC, 240 VAC
Body Features	
Filter Shield Type	Filter Shield
Product Orientation	Vertical
Mechanical Attachment	
Panel Mount Feature Type	Snap-In
Usage Conditions	
Operating Temperature Range	-10 – 40 °C

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | Corcom M



EMI & EMC Accessories(2)



Multi-Function Inlet Filters(28)



Potentiometers(5)

Customers Also Bought



TE Part #2-330808-8 SOCKET,MIN-SPR AU SER-1



TE Part #1-1630012-6 HSC150 240R 5%



TE Part #2-1676913-6 YR1 0.1% 1K0



TE Part #206429-1 CPC PLUG ASSY, 11-4, REV SEX



TE Part #5-1393144-4 K10P-11D15-110=K10/K20



TE Part #206430-1 RECPT, SZ 11-4, CPC



TE Part #1-66105-8
III+ SKT,24-20,30AU/FL,SMPACK





TE Part #CONBNC004
BNC Jack 50 Ohm Panel Mount





Documents

Product Drawings

5EFM4C=F8111

English

CAD Files

Customer View Model

ENG_CVM_CVM_2-6609129-7_B.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-6609129-7_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-6609129-7_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

1654001_CORCOM_PRODUCT_GUIDE_M_SERIES

English

Corcom Combined Selector Charts

English