#### 1081050

https://www.phoenixcontact.com/us/products/1081050

**PHENIX** CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in bridge, length: 50 mm, color: red

### Commercial data

Item number	1081050
Packing unit	20 pc
Minimum order quantity	20 pc
Sales key	C461
Product key	CK62Z1
GTIN	4055626807812
Weight per piece (including packing)	4.39 g
Weight per piece (excluding packing)	1.6 g
Customs tariff number	85366990
Country of origin	DE

1081050

https://www.phoenixcontact.com/us/products/1081050



## Technical data

Product properties	
Product type	Bridge
Data management status	
Article revision	00
Electrical properties	
Maximum load current	32 A
Connection data	
Maximum load current	32 A
Dimensions	
Length	50 mm
Material specifications	
Color	red
Mounting	
Thread type	0

1081050

https://www.phoenixcontact.com/us/products/1081050



### Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1081050



CULus Listed
Approval ID: E199827



1081050

https://www.phoenixcontact.com/us/products/1081050



## Classifications

### ECLASS

ECLASS-11.0	27141140
ECLASS-12.0	27141140
ECLASS-13.0	27371692

### ETIM

	ETIM 9.0	EC002586		
UN	UNSPSC			
	UNSPSC 21.0	39121400		

1081050

https://www.phoenixcontact.com/us/products/1081050



## Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions		
China RoHS			
Environment friendly use period (EFUP)	EFUP-E		
	No hazardous substances above the limits		
EU REACH SVHC			
REACH candidate substance (CAS No.)	No substance above 0.1 wt%		

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com