



Sensors &gt; Vibration Sensors &gt; Model 805M1 TO-5 3-Wire Accelerometer

Accelerometer Type: **3-Wire Voltage**Vibration Sensor Product Type: **Piezoelectric Accelerometer**Number of Sensing Axes: **Uniaxial**Frequency Response: **1 to 8000 Hz**Full Scale Output Voltage: **±2 VDC**[All Model 805M1 TO-5 3-Wire Accelerometer \(7\)](#)

## Features

### Product Type Features

Sensor Package	Embedded
Accelerometer Type	3-Wire Voltage
Vibration Sensor Product Type	Piezoelectric Accelerometer

### Electrical Characteristics

Excitation Voltage Range	3 – 5.5 VDC
Full Scale Output Voltage	±2 VDC

### Signal Characteristics

Frequency Response	1 to 8000 Hz
--------------------	--------------

### Body Features

Primary Product Material	Stainless Steel
Product Weight	5 g[.17 oz]
Number of Sensing Axes	Uniaxial

### Mechanical Attachment

Sensor Mount Type	Screw Mount
-------------------	-------------

### Usage Conditions

Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]
-----------------------------	----------------------------



### Operation/Application

Output Current Type	AC
---------------------	----

### Other

Non-Linearity (FSO)	±1 %
---------------------	------

Acceleration Range (±)	200 g
------------------------	-------

Sensitivity	10 mV/g
-------------	---------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
------------------------------	---------------------------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
---	--------------------------------------

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUN 2020 (209) Does not contain REACH SVHC
--	--


Halogen Content	Not Yet Reviewed for halogen content
-----------------	--------------------------------------

Solder Process Capability	Not reviewed for solder process capability
---------------------------	--


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>




### Compatible Parts



## Also in the Series | MEAS 805



## Customers Also Bought





## Documents

### CAD Files

#### 3D PDF

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_805M1-0200-01\\_M.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_805M1-0200-01\\_M.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_805M1-0200-01\\_M.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[805M1\\_Accelerometer](#)

English