
W91-X152-20 <

Potter & Brumfield | Potter & Brumfield W9

TE Internal #: 4-1393254-4 Magnetic, Series Trip, Black, Operating Voltage 65 VDC, 20A Current Rating, 1 Pole, Potter & Brumfield W9, Circuit Breakers View on TE.com >



Relays & Contactors > Circuit Breakers



Circuit Breaker Type: Magnetic

- Circuit Function: Series Trip
- Illuminated: Without

Actuator Color: Black

Operating Voltage: 65 VDC

Features

Product Type Features

Illumination Type	No Light
Actuator Type	Toggle
Circuit Breaker Type	Magnetic
Illuminated	Without

Configuration Features

	.75 x 2.065 in
Circuit Function	Series Trip
Number of Poles	1
Electrical Characteristics	
Operating Voltage	65 VDC
Current Rating	20 A
Interrupt Capacity	2000A @ 65VDC
Body Features	
Actuator Color	Black
Contact Features	
Trip Time at 200%	.6 – 8 seconds
Termination Features	
Terminal Configuration	10-32 Stud

W91-X152-20

Magnetic, Series Trip, Black, Operating Voltage 65 VDC, 20A Current Rating, 1 Pole, Potter & Brumfield W9, Circuit Breakers



Mechanical Attachment	
Mounting Options	6-32 Mounting Threads
Dimensions	
Product Height	63.5 mm[2.5 in]
Identification Marking	
Stamped Marking Type	International I/O
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (7.95% in Component par
	Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

applicable governmental regulations relevant to your geographic location.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

W91-X152-20

Magnetic, Series Trip, Black, Operating Voltage 65 VDC, 20A Current Rating, 1 Pole, Potter & Brumfield W9, Circuit Breakers








Also in the Series | Potter & Brumfield W9



Customers Also Bought



W91-X152-20

Magnetic, Series Trip, Black, Operating Voltage 65 VDC, 20A Current Rating, 1 Pole, Potter & Brumfield W9, Circuit Breakers





Documents

CAD Files

Customer View Model ENG_CVM_CVM_4-1393254-4_D.2d_dxf.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_4-1393254-4_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_4-1393254-4_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Datasheets & Catalog Pages W6/W9 Magnetic Hydraulic Circuit Breaker

English

Agency Approvals UL

English