RP73PF1E7R5BTDF <

Holsworthy | Holsworthy RP73

TE Internal #: 5-2176308-0 Precision Resistor, Thin Film, 0402, .1 W, 7.5 ohm, .1 %, ±25 ppm/° C, Solder, 2 Termination, Height .3 mm [.012 in], Holsworthy RP73 View on TE.com >

Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Precision Resistor

Element Type: Thin Film

Package Size Code: 0402

Power Rating: .1 W

Resistance Value: 7.5Ω

Features

Product Type Features



Resistor Type	Precision Resistor
Element Type	Thin Film
Package Size Code	0402
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	50 V
Power Rating	.1 W
Resistance Value	7.5 Ω
Resistance Class	Up to 1kΩ
Passive Component Tolerance	.1 %
Termination Features	
Surface Mount Resistor Termination Type	Solder
Number of Terminations	2

C For support call+1 800 522 6752

RP73PF1E7R5BTDF

Precision Resistor, Thin Film, 0402, .1 W, 7.5 ohm, .1 %, ±25 ppm/°C, Solder, 2 Termination, Height .3 mm [.012 in], Holsworthy RP73



Dimensions

Product Height	.3 mm[.012 in]
Product Length	1 mm[.039 in]
Product Width	.5 mm[.02 in]
Usage Conditions	
Temperature Coefficient	±25 ppm/°C
Industry Standards	
Moisture Sensitivity Level	1
Packaging Features	
Packaging Method	Taped & Reeled

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024

(241)Candidate List Declared Against: JUNE2024 (241)Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Halogen Content

Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

L For support call+1 800 522 6752


RP73PF1E7R5BTDF

Precision Resistor, Thin Film, 0402, .1 W, 7.5 ohm, .1 %, ±25 ppm/°C, Solder, 2 Termination, Height .3 mm [.012 in], Holsworthy RP73





Also in the Series | Holsworthy RP73



Customers Also Bought



		= TE	
TE Part #3-2176057-1 RLP73K 3A R18 1% 1K RL	TE Part #5103311-5 A/L LOW PRO HDR 20P RA BLACK	TE Part #2295018-2 SPLASH PROOF USB TYPE C REC, DUAL SMT	TE Part #2-2340321-1 ASSY STRADDLE MOUNT 168P 093 SLIVER 2.0
TE Part #2386586-1 FINE PITCH BTB CONN H0.8, 8P, REC	TE Part #2388397-1 CDFP style 1, PCIe Gen 4, 500mm	TE Part #2416263-1 OCP STR to MCIO 16X STR	TE Part #2418031-1 MCIO 8X STR to MCIO 8X STR

TE Part #2454556-1 C/A MCIO X8 STR TO MCIO X8 STR

RP73PF1E7R5BTDF

Precision Resistor, Thin Film, 0402, .1 W, 7.5 ohm, .1 %, ±25 ppm/°C, Solder, 2 Termination, Height .3 mm [.012 in], Holsworthy RP73



Documents

Product Drawings RP 1E 0.1W 7R5 0.1% 25PPM 1K RL

English

Datasheets & Catalog Pages RP73-0915

English