

# Product datasheet

Specifications



## Battery Management Harness - 25ft



AP9925

⚠ To be discontinued on: 31 Dec 2030

⚠ To be discontinued

### Overview

Lead time Usually Ships within 2 Weeks

### Main

Cable length 7.6 m  
Provided equipment Installation guide

### Physical

Colour Black  
Height 17.8 cm  
Width 27.9 cm  
Depth 10.2 cm  
Net weight 3.18 kg  
mounting mode Not rack-mountable

### Environmental

Storage Relative Humidity 0...95 %  
Storage altitude 0.0000000000...9144.0000000000 m  
Ambient air temperature for operation -15...45 °C  
Relative humidity 0...95 %  
Operating altitude 0...30000 ft  
Ambient air temperature for storage -20...45 °C

### Packing Units

Unit Type of Package 1 PCE  
Number of Units in Package 1 1  
Package 1 Height 25.4 cm  
Package 1 Width 35.6 cm  
Package 1 Length 15.2 cm  
Package 1 Weight 3.632 kg

### Contractual warranty

---

Warranty

2 years repair or replace

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Take-back   Transparency   RoHS/REACH

## Resource performance

 Take-Back Program Available

## Certifications & Standards

**Eu Rohs Directive**

Compliant

[EU RoHS Declaration](#)

**Environmental Disclosure**

[Product Environmental Profile](#)

**Weee**

The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins