#### **EUROCARD**


TE Internal #: 106740-4

TE Internal Description: 160P.IEC-C.M.CONN.

View on TE.com >



Connectors > PCB Connectors > Card Edge Connectors > Standard Edge Connectors



Connector System: Board-to-Board

Number of Positions: 160

Centerline (Pitch): 2.54 mm [.1 in]

Number of Rows: 5

Primary Product Color: Gray

## **Features**

## **Product Type Features**

| Connector System                  | Board-to-Board        |
|-----------------------------------|-----------------------|
| Connector & Housing Type          | Plug                  |
| Connector & Contact Terminates To | Printed Circuit Board |
| Configuration Features            |                       |
| Number of Positions               | 160                   |
| Number of Rows                    | 5                     |
| Connector Contact Load Condition  | Fully Loaded          |
| PCB Mount Orientation             | Right Angle           |
| Electrical Characteristics        |                       |
| Operating Voltage                 | 50 VAC                |
| Body Features                     |                       |
| Primary Product Color             | Gray                  |
| Contact Features                  |                       |
| Contact Retention Within Housing  | Without               |

Pin

Contact Type



| Contact Mating Area Plating Material          | Tin    |
|---|--------|
| Contact Underplating Material                 | Nickel |
| PCB Contact Termination Area Plating Material | Tin    |
| Contact Base Material                         | Brass  |
| Contact Current Rating (Max)                  | 1.5 A  |
|   |        |

### **Termination Features**

| Termination Post & Tail Length | 2.8 mm[.11 in]        |
|--------------------------------|-----------------------|
| Termination Method to PCB      | Through Hole - Solder |

### Mechanical Attachment

| Mating Alignment Type    | Polarization  |
|--------------------------|---------------|
| Mating Retention         | Without       |
| Mating Alignment         | With          |
| PCB Mount Alignment      | Without       |
| PCB Mount Retention      | With          |
| PCB Mount Retention Type | Mounting Ears |
| Connector Mounting Type  | Board Mount   |

## **Housing Features**

| Centerline (Pitch) | 2.54 mm[.1 in]          |
|--------------------|-------------------------|
| Housing Material   | Thermoplastic Polyester |

## Dimensions

| Connector Length            | 93.9 mm[3.69 in]            |
|-----------------------------|-----------------------------|
| Connector Height            | 22.8 mm[.89 in]             |
| Connector Width             | 13.94 mm[.54 in]            |
| PCB Thickness (Recommended) | 2.03 – 2.54 mm[.08 – .1 in] |
| Row-to-Row Spacing          | 2.54 mm[.1 in]              |

## **Usage Conditions**

| Operating Temperature Range | -55 – 125 °C[-67 – 257 °F] |
|-----------------------------|----------------------------|
|                             | •                          |

## Operation/Application

| Circuit Application | Signal |  |
|---------------------|--------|--|
|---------------------|--------|--|

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>



| EU RoHS Directive 2011/65/EU                  | Compliant  |
|---|--|
| EU ELV Directive 2000/53/EC                   | Not Yet Reviewed   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold  |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC |
| Halogen Content                               | BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.   |
| Solder Process Capability                     | Not applicable for solder process capability   |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Customers Also Bought
















## **Documents**

#### **CAD Files**



3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_106740-4\_B.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_106740-4\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_106740-4\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Application Specification** 

English