Product data sheet

Specifications





Selector switch, Harmony XAC, plastic, black handle, 3 positions, unmarked

ZA2BD3

Product availability: Stock - Normally stocked in distribution facility

Price*: 30.00 USD

Main

Range of Product	Harmony XAC	
Product or Component Type	Selector switch	
Component name	ZA2	
Product Compatibility	XACA	

Complementary

Net Weight	0.040 lb(US) (0.018 kg)	
ap/operator or lens colour Black		
Marking	Unmarked	
mounting location	Front of enclosure	
Sale per indivisible quantity	1	

Environment

Standards	IEC 60947-5-1 IEC 60204-32 UL 508 CSA C22.2 No 14	
Ambient Air Temperature for Operation	-13.0000000000158.0000000000 °F (-2570 °C)	
Ambient Air Temperature for Storage	-40.0000000000158.0000000000 °F (-4070 °C)	
Vibration resistance	15 gn 10500 Hz)IEC 60068-2-6	
Shock resistance	100 gn IEC 60068-2-27	
Overvoltage category	Class II IEC 61140	
IP degree of protection	IP65 conforming to IEC 60529	
IK degree of protection	IK08 conforming to IEC 62262	

Ordering and shipping details

Category	US10CS222460	
Discount Schedule	0CS2	
GTIN	3389110645316	
Returnability	Yes	
Country of origin	FR	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.7 in (4.2 cm)
Package 1 Width	1.2 in (3.0 cm)
Package 1 Length	1.8 in (4.5 cm)
Package 1 Weight 0.7 oz (21.0 g)	
Unit Type of Package 2	BB1
umber of Units in Package 2 10	
Package 2 Height	1.6 in (4.0 cm)
Package 2 Width	7.6 in (19.2 cm)
Package 2 Length	8.7 in (22.0 cm)
Package 2 Weight	7.7 oz (219.0 g)
Unit Type of Package 3	S02
Number of Units in Package 3	100
Package 3 Height	5.9 in (15.0 cm)
Package 3 Width	11.8 in (30.0 cm)
Package 3 Length	15.7 in (40.0 cm)
Package 3 Weight	5.364 lb(US) (2.433 kg)

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
California Proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov