## **Detailed Specifications & Technical Data**



ENGLISH MEASUREMENT VERSION

## 8825 Hook-up/Lead - Hook-Up Wire on Racks (Kits)

For more Information please call

1-800-Belden1



## **General Description:**

Picture

Not Available

Great for R and D labs, engineers, servicemen and hobbyists. Specify Part No. 8800 for Rack only.

Physical Characteristics (Overall)						
Conductor						
AWG:						
AWG Stranding Conductor Material						
20   7x28   TC - Tinned Copper						
Insulation						
Insulation Material:						
Insulation Material						
PVC - Polyvinyl Chloride						
Overall Insulation						
Mechanical Characteristics (Overall)						
Operating Temperature Range:	105°C					
Applicable Specifications and Agency Complia	ance (Overall)					
Applicable Standards & Environmental Programs						
EU Directive 2000/53/EC (ELV):	Yes					
EU Directive 2002/95/EC (RoHS):	Yes					
EU RoHS Compliance Date (mm/dd/yyyy):	04/01/2006					
EU Directive 2002/96/EC (WEEE):	Yes					
EU Directive 2003/11/EC (BFR):	Yes					
CA Prop 65 (CJ for Wire & Cable):	Yes					
MII Order #39 (China RoHS):	Yes					
Plenum/Non-Plenum						
Plenum (Y/N):	No					
Notes (Overall)						
Notes: 5 Spools of 8502 in the following colors 2, 4, 5, 9, 10	) - Spool Lengths 100 Ft.					

## Put Ups and Colors:

Item #	Putup	Ship Weight	Color	Notes	Item Desc
8825	1 EA	0.003 LB			20 STR PVC 5 COLOR KIT

Revision Number: 1 Revision Date: 05-14-2007

© 2016 Belden, Inc All Rights Reserved.

All Rights Reserved. Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability. Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein. All sales of Belden products are subject to Belden's standard terms and conditions of sale. Belden believes this product to be in compliance with EU RoHS (Directive 2002/95/EC, 27-Jan-2003). Material manufactured prior to the compliance date may be in stock at Belden facilities and in our Distributor's inventory. The information and belief at the date of its publication. The information provided in this Product Disclosure, is correct to the best of Belden's knowledge, information, and belief at the date of its publication. The information provided in the ore that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.