

https://www.phoenixcontact.com/us/products/1081051



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Plug-in bridge, length: 50 mm, color: blue

Commercial data

Item number	1081051
Packing unit	20 pc
Minimum order quantity	20 pc
Sales key	C461
Product key	CK62Z1
GTIN	4055626807072
Weight per piece (including packing)	4.38 g
Weight per piece (excluding packing)	1.6 g
Customs tariff number	85366990
Country of origin	DE



https://www.phoenixcontact.com/us/products/1081051



Technical data

_				
$\mathbf{\nu}$	rad	IICt.	nron	erties
	ıvu	uu	יטטוט	ธา แซง

Product type	Bridge
r roduct type	blidge
Data management status	
Article revision	00
Electrical properties	
Maximum load current	32 A
Connection data	
Maximum load current	32 A
Dimensions	
Length	50 mm
Material specifications	
Color	blue
Mounting	
Thread type	()





1081051

https://www.phoenixcontact.com/us/products/1081051

Approvals

🌣 To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1081051



cULus Listed

Approval ID: E140324



cULus Listed Approval ID: E199827



https://www.phoenixcontact.com/us/products/1081051



Classifications

UNSPSC 21.0

ECLASS

ECLASS-11.0	27141140	
ECLASS-12.0	27141140	
ECLASS-13.0	27371692	
ETIM		
ETIM 9.0	EC002586	
UNSPSC		

39121400



https://www.phoenixcontact.com/us/products/1081051



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com