



**Part Number :** [39000381](#)  
**Product Description :** KK 254 Crimp Terminal,  
28-22 AWG, 0.35µm Gold (Au), Nickel (Ni)  
Under-Plate, Phosphor Bronze, Loose  
**Series Number :** 2759  
**Status :** Active  
**Product Category :** Crimp Terminals  
**Engineering Number :** 2759PBGL  
**Packaging Alternative :** 39000380 (Reel)




Documents & Resources

**Drawings**  
[Drawing 039000381\\_sd.pdf](#)

**Specifications**  
[Product Specification PS-2759-005-001.pdf](#)  
[Product Specification PS-2759-006-001.pdf](#)  
[Product Specification PS-5045-003-001.pdf](#)  
[Product Specification PS-5045-004-001.pdf](#)  
[Product Specification 50510001-000.pdf](#)  
[Product Specification 50510002-PS-000.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant with Exemption 44; 33
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

## Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

---

### Part Details

#### General

Status	Active
Category	Crimp Terminals
Series	2759
Description	KK 254 Crimp Terminal, 28-22 AWG, 0.35µm Gold (Au), Nickel (Ni) Under-Plate, Phosphor Bronze, Loose
Application	Signal, Wire-to-Board
Product Family	KK Interconnect Systems
Product Name	KK 254
UPC	800753336551

#### Physical

Gender	Female
Material - Metal	Phosphor Bronze
Material - Plating Mating	Gold
Material - Plating Termination	Gold
Net Weight	64.000/mg
Packaging Type	Bag
Plating min - Mating	0.356µm
Plating min - Termination	2.032µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.2-1.7mm max.
Wire Size (AWG)	22, 24, 26, 28
Wire Size mm²	N/A

---

Use with Part(s)

Description	Part Number
KK 254 Single Row Crimp Housings	<u>2695</u>
KK 2.50mm Pitch Single Row Receptacle Housings	<u>5051</u>

---

Application Tooling

Global

Description	Part Number
Extraction Tool for KK 2.54mm Terminals, 30-22 AWG	<u>11030022</u>
PremiumGrade Hand Crimp Tool for KK 2.54mm Crimp Terminals, 30-22 AWG	<u>638118200</u>
Insertion Tool for KK 2.54mm Terminals, 30-22 AWG	<u>638120000</u>