

2203571

https://www.phoenixcontact.com/us/products/2203571

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Membrane keypad, self-adhesive, silver conduction technology, 45 keys, embossed, 4 colors, connecting cable: 77 mm, with crimp female connector, pitch: 2.54 mm, operating temperature: -20°C ... 70°C

Your advantages

- · Easy integration into HCS series electronics housings
- · Membrane keypads in various sizes and colors for customized device designs
- · Customization of membrane keypad via configurator

Commercial data

Item number	2203571
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AC02
Product key	ACFABF
GTIN	4055626528670
Weight per piece (including packing)	21.7 g
Weight per piece (excluding packing)	21.7 g
Customs tariff number	85365011
Country of origin	DE



2203571

https://www.phoenixcontact.com/us/products/2203571

Technical data

Product properties

Product type	Membrane keypad
Housing type	Handheld housing
Housing series	HCS
Product family	HCS
Number of positions	16
Pitch	2.54 mm
Technology	Conductive silver/graphite (T6/4 Cu/Ag)
Embossing	Dome embossing 11 x 11 mm
Number of socket pins	16
Number of keys	45 (9 x 5)

Dimensions

Length	77 mm (Membrane cable)
Pitch	2.54 mm
Dimensions	144 mm x 78 mm

Material specifications

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-20 °C 70 °C
Ambient temperature (storage/transport)	-40 °C 80 °C

Mounting

Mounting type	adhesive
---------------	----------



2203571

https://www.phoenixcontact.com/us/products/2203571

Classifications

ECLASS

	ECLASS-11.0	27182702
	ECLASS-13.0	27190605
ETIM		
	ETIM 9.0	EC001031
UNSPSC		
	UNSPSC 21.0	31261500



2203571

https://www.phoenixcontact.com/us/products/2203571

Environmental product compliance

EU RoHS		
Fulfills EU RoHS substance requirements	Yes, No exemptions	
China RoHS		
Environment friendly use period (EFUP)	EFUP-E	
	No hazardous substances above the limits	
EU REACH SVHC		
REACH candidate substance (CAS No.)	No substance above 0.1 wt%	



2203571

https://www.phoenixcontact.com/us/products/2203571

Accessories

HCS-T MAXI 1W C C C 7035 - Electronics housing

2203142

https://www.phoenixcontact.com/us/products/2203142



Handheld housing, T-Maxi, light gray, consisting of two half shells with screws, front 1.1 mm recessed, with window and keypad slot

HCS-T MAXI 1W C 1 1 7035 - Electronics housing

2203143

https://www.phoenixcontact.com/us/products/2203143



Handheld housing, T-Maxi, light gray, consisting of two half shells, two front plates with screws, front 1.1 mm recessed, with window and keypad slot



2203571

https://www.phoenixcontact.com/us/products/2203571

HCS-T MAXI 1W 5AA 1 1 7035 - Electronics housing

2203144

https://www.phoenixcontact.com/us/products/2203144



Handheld housing T-Maxi light gray, comprising two half shells, two front lenses, screws. Front 1.1 mm recessed, with window and keyboard slot Battery compartment cover and battery contacts, for 5 AA batteries

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com