



AMPLIVAR

TE Internal #: 62303-2

Pigtail Splice, 24 – 18.5 AWG Wire Size, .26 – .8 mm² Wire Size, Splice Capacity 3, Serrated, 400 – 1500 CMA Wire Size, Brass, AMPLIVAR, Splices

[View on TE.com >](#)

Terminals & Splices > Splices



Splice Type: **Pigtail Splice**

Wire Size: .26 – .8 mm²

Sealable: **No**

Splice Capacity: 3

Features

Product Type Features

Splice Type	Pigtail Splice
Sealable	No
Compatible With Discrete Wire Type	Magnet Wire, Solid

Configuration Features

Strip Orientation	End Feed
Splice Capacity	3
Number of Serrations	9

Electrical Characteristics

Operating Voltage	250 V
-------------------	-------

Body Features

Product Weight	.107 g
Splice Features	Serrated

Contact Features

Terminal Plating Material	Tin
---------------------------	-----



Contact Base Material	Brass
-----------------------	-------

Barrel Type	Open
-------------	------

Termination Features

Crimp Width	2.03 mm[.08 in]
-------------	-----------------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	400 – 1500 CMA
-----------	----------------

Terminal Material Thickness	.41 mm[.016 in]
-----------------------------	-----------------

Product Length	5.72 mm[.225 in]
----------------	------------------

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operating Temperature Range	-65 – 150 °C[-85 – 302 °F]
-----------------------------	----------------------------

Operation/Application

Compatible With Wire Base Material	Aluminum, Copper
------------------------------------	------------------

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Packaging Features

Packaging Quantity	20000
--------------------	-------

Packaging Method	Strip
------------------	-------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---










Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 62194-2 MIN AMVAR SPLC 016TPBR</p>	 <p>TE Part # 62194-5 MIN AMPLIVAR SPLICE 016 TPBR</p>	 <p>TE Part # 62341-1 MIN AMVAR SPL 480-1500 014TPBR</p>	 <p>TE Part # 737060-2 AMPLIVAR SPL 5 SERR W/INS SUP</p>
 <p>TE Part # 1-2161800-3 APT-5A TERMINATING MACHINE</p>	 <p>TE Part # 1-2161900-3 APT-5E TERMINATING MACHINE</p>	 <p>TE Part # 1742348-1 9 Serr AMPLIVAR Spade</p>	 <p>TE Part # 2150132-2 OCEAN_2.0_Applicator-E-080F-SEA</p>
 <p>KIT REPRESENTATION ONLY</p> <p>TE Part # 7-2150132-7 OCEAN_2.0_SPARE_PART_KIT-080F</p>	<p>TE Part # 1-2217600-3 APT-5A HF</p>	<p>TE Part # 1-2217700-3 APT 5E HF</p>	

Also in the Series | **AMPLIVAR**



Crimp Wire Pins, Tabs & Ferrules(5)



Magnet Wire Terminals(4)



PCB Terminals(1)



Quick Disconnects(40)



Ring Terminals(28)



Splices(76)


Customers Also Bought




TE Part #1971777-3
PTL TPA HIGH TEMP 1 x 3 BLACK



TE Part #5-2232263-3
PTL 1X3 CAP PANEL MT GLW WIRE
KEY A DGR




TE Part #62305-2
AMVAR SPLC 600-3000 016TPBR




TE Part #62304-2
AMVAR SPLC 600-3000 020TPBR



TE Part #1571563-8
FSM4JSMLTR=TACT SWITCH,SMT,
T&R



TE Part #2238069-1
TERM,SPL,TRI-SLOT,MAG-MATE



TE Part #917732-6
2.5 SIGNAL D/LOCK HDR ASSY 12P

Documents

Product Drawings

[AMVAR SPLC 400-1500 016TPBR](#)

English

CAD Files

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_62303-2_R.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_62303-2_R.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_62303-2_R.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1654742_HOUSEHOLD_APPLIANCES_RAST5](#)

English

Magnet Wire Terminals & Splices

English

Product Specifications

[Application Specification](#)

English