

1527883

https://www.phoenixcontact.com/us/products/1527883

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Valve connectors, Universal, 4-position, Valve connector A, Screw connection, cable gland Pg9, external cable diameter 6 mm ... 8 mm

Commercial data

| Item number | 1527883 |
|--------------------------------------|--------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | BF36 |
| Product key | BF2DAA |
| Catalog page | Page 110 (PC-2009) |
| GTIN | 4017918980955 |
| Weight per piece (including packing) | 25.61 g |
| Weight per piece (excluding packing) | 25.3 g |
| Customs tariff number | 85366990 |
| Country of origin | HU |



1527883

https://www.phoenixcontact.com/us/products/1527883

Technical data

Notes

| Assembly note | NOTE: Observe the permissible bending radii when routing |
|---------------|---|
| | cables, since the degree of protection may be at risk if the |
| | bending forces are too high. Reduce mechanical loads upstream |
| | of the connector, e.g., by using cable ties. |

Product properties

| Product type | Valve connectors |
|----------------------------|------------------|
| Sensor type | Universal |
| Number of positions | 4 |
| No. of cable outlets | 1 |
| Shielded | no |
| Pg screw connection | Pg9 |
| Insulation characteristics | |

| Overvoltage category | II |
|----------------------|----|
| Degree of pollution | 3 |

Material specifications

| Flammability rating according to UL 94 | НВ |
|--|------|
| Seal material | NBR |
| | TPE |
| Material housing valve plug | PA 6 |
| Contact material | CuSn |
| Valve plug contact insert material | PA 6 |
| Contact surface material | Ni |

Dimensions

External dimensions

| Outside diameter | 6 mm 8 mm |
|------------------|-----------|
|------------------|-----------|

Electrical properties

| Contact resistance | ≤ 15 mΩ |
|--------------------------------|----------|
| Insulation resistance | ≥ 100 MΩ |
| Nominal voltage U_N | 250 V AC |
| | 250 V DC |
| Nominal current I _N | 10 A |
| Protective circuit | unwired |

Mechanical properties

Mechanical data

| Insertion/withdrawal cycles | 50 (Valve connector) |
|-----------------------------|----------------------|
|-----------------------------|----------------------|



1527883

https://www.phoenixcontact.com/us/products/1527883

Signaling

| Status display | no |
|------------------------|----|
| Status display present | No |

Connection data

| Connection method | Screw connection |
|------------------------------|------------------|
| Conductor cross section | 0.34 mm² 1.5 mm² |
| Connection cross section AWG | 22 16 |

Connector

Connection 1

| Head design | Valve connector |
|------------------|-----------------|
| Head thread type | A |

Environmental and real-life conditions

Ambient conditions

| Degree of protection | IP65 |
|---------------------------------|---------------------------|
| Ambient temperature (operation) | -30 °C 100 °C (Connector) |




1527883


https://www.phoenixcontact.com/us/products/1527883


Drawings

Circuit diagram



Dimensional drawing







1527883

https://www.phoenixcontact.com/us/products/1527883

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1527883

| <i>9</i> 7 | UL Recognized Approval ID: File E 11897 | 76 | | | |
|------------|--|--------------------------------|--------------------------------|-------------------|-------------------------------|
| | | Nominal voltage U _N | Nominal current I _N | Cross section AWG | Cross section mm ² |
| | | 250 V | 10 A | - | - |

EAC
Approval ID: RU C-DE.BL08.B.00511



1527883

https://www.phoenixcontact.com/us/products/1527883

Classifications

UNSPSC 21.0

ECLASS

| ECLASS-11.0 | 27440105 | | | |
|-------------|----------|--|--|--|
| ECLASS-12.0 | 27440105 | | | |
| ECLASS-13.0 | 27440105 | | | |
| ETIM | | | | |
| ETIM 9.0 | EC003623 | | | |
| UNSPSC | | | | |

31251500



1527883

https://www.phoenixcontact.com/us/products/1527883

Environmental product compliance

EU RoHS

| Fulfills EU RoHS substance requirements | Yes |
|---|---|
| Exemption | 6(c) |
| China RoHS | |
| Environment friendly use period (EFUP) | EFUP-50 |
| | An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required. |
| EU REACH SVHC | |
| REACH candidate substance (CAS No.) | Lead(CAS: 7439-92-1) |
| SCIP | a5a1b7f5-f63b-4d11-8122-e430fc9c2f99 |
| | |

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com