PIDG

TE Internal #: 50881-2


Closed Ring Tongue Terminal, 16 – 14 AWG, #6 / M3.5 Stud Size, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin,

Partially Insulated

View on TE.com >



Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 2050 – 5180 CMA

Stud Size: **#6, M3.5**

All PIDG Ring Tongue Terminals (411)

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#6, M3.5
Sealable	No
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Electrical Characteristics	
Voltage Rating	300 V
Body Features	
Insulation Sleeve Color	Blue
Stripe Color	Blue
Product Weight	1.228 g



Barrel Type	Closed	
Terminal Orientation	Straight	
Terminal Plating Material	Tin	
Mechanical Attachment		
Wire Insulation Support	With	
Dimensions		
Wire Size	2050 – 5180 CMA	
Stud Diameter	3.68 mm[.145 in]	
Tongue Thickness	ness .79 mm[.031 in]	
Product Length	20.65 mm[.813 in]	
Compatible Insulation Diameter (Max)	4.32 mm[.17 in]	
Compatible Insulation Diameter Range	on Diameter Range 2.92 – 4.31 mm[.115 – .17 in]	
Usage Conditions		
Insulation Option	Partially Insulated	
Operating Temperature Range 105 °C[221 °F]		
Operation/Application		
Compatible With Wire Base Material	Copper	
Compatible With Wire Plating Material	Tin	
Industry Standards		
Government Qualified Terminal	No	
Packaging Features		
Packaging Quantity	5000	
Packaging Method	Tape Mounted	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241)



	1	contain		
	$n \cap T$	contain	$R \vdash \Delta (\vdash \vdash $	1 > \/ H(
17053	11()1			1 .) V I I (

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TETRA-CRIMP PIDG PG FASTON 22-

10 ASSY










Also in the Series | PIDG












Crimp Wire Pins, Tabs & Ferrules(41)

Hand Crimping Tools(2)

Knife Disconnects(11)









Special Purpose Terminals(1)

Quick Disconnects(32)

Ring Terminals(589)

Spade Terminals(228)

Splices(39)

Customers Also Bought

















Documents



Product Drawings

TERMINAL, PIDG R 16-14 6

English

CAD Files

Customer View Model

ENG_CVM_CVM_50881-2_H.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_50881-2_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_50881-2_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals

UL Report

English