





PRODUCT NUMBER SEE SHEET 2




spec ref	*	dr	Peng-Bing Fu	2012/11/26	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Eddy Zeng	2013/10/24	chr	Li-He	2013/10/24	ecn no	-	
surface	✓	appr	Pei-Ming Zheng	2013/10/24	product family	PwrBlade+	rel level	Released		
linear	0.X	±0.5	FCI 2HP + 8S + 2HP RA STB HEADER				dwg no	10106124-4002001	rev	A
	0.XX	±0.25								
	0.XXX	±0.10								
angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw	sheet 1 of 3				





Copyright FCI.

CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Peng-Bing Fu	2012/11/26	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2			
eng	Eddy Zeng	2013/10/24			ecn no		-				
chr	Li-He	2013/10/24			rel level		Released				
appr	Pei-Ming Zheng	2013/10/24			product family		PwrBlade+				
<div></div>			title			2HP + 8S + 2HP		dwg no	10106124-4002001	rev	A
RA STB HEADER			cat. no.			Product - Customer Drw			sheet 2 of 3		
www.fci.com											



PRODUCT NO.	ROWS	HP			SIG		HP		
		E1	P1	P2	1	2	P3	P4	
10106124-4002001LF	DCBA		H1	H1	UU	TT	H1	H1	
		HA			SS	RR			HA

A

B

C

D

A

B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Peng-Bing Fu	2012/11/26	<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3	scale	3:2			
eng	Eddy Zeng	2013/10/24			ecn no	-					
chr	Li- He	2013/10/24									
appr	Pei-Ming Zheng	2013/10/24	product family		PwrBlade+	rel level		Released			
<div>FCi</div>		title			2HP + 8S + 2HP		dwg no		10106124-4002001	rev	A
RA STB HEADER											
www.fci.com		cat. no.		Product - Customer Drw					sheet 3 of 3		