

Part Number: 1301410010

Product Description: Super-Safeway Plug, 2 Pole/2 Wire, NEMA 5-20, 125V

Series Number: 130141

Status: Active

**Product Category: Wiring Devices** 

**Engineering Number: 1433** 



#### **Documents & Resources**

### **Drawings**

Drawing 1301410010\_sd.pdf

### **Product Environment Compliance**

### Compliance

| GADSL/IMDS         | Not Relevant                                      |
|--------------------|---|
| China RoHS         | Not Reviewed per SJ/T 11365-2006                  |
| EU ELV             | Not Relevant                                      |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21                   |
| REACH SVHC         | Not Reviewed per D(2024)4144-DC<br>(27 June 2024) |
| EU RoHS            | Not Reviewed per EU 2015/863                      |

## Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## **Part Details**

## General

| Status             | Active  |
|--------------------|---|
| Category           | Wiring Devices  |
| Series             | 130141  |
| Description        | Super-Safeway Plug, 2 Pole/2 Wire,<br>NEMA 5-20, 125V |
| IP Rating          | N/A   |
| NEMA Configuration | NEMA 5-20   |
| Product Family     | Heavy-Duty Industrial Wiring<br>Devices               |
| Product Name       | Super-Safeway   |
| Specialty          | N/A   |
| Туре               | Plug  |
| UPC                | 78678870122   |

# Agency

| CSA | LR6837 |
|-----|--------|
| UL  | E10176 |

## Electrical

| Current - Maximum per Contact | 20.0A |
|-------------------------------|-------|
| GFCI                          | No    |
| Voltage - Maximum             | 125V  |

# Physical

| Cord Type         | N/A  |
|-------------------|------|
| Flange            | No   |
| Flip Lid          | No   |
| Gender            | Male |
| Length            | N/A  |
| Lighted Connector | No   |
| Locking Blade     | No   |

| Net Weight      | 1.000/g       |
|-----------------|---------------|
| Poles           | 2-pole/3-wire |
| Receptacle Type | N/A           |

This document was generated on Sep 27, 2024