TE Internal #: 1744340-2

Pin Contact, Tin, Power, -40 – 125 °C [-40 – 257 °F]

View on TE.com >



#### Connectors > Contacts > Connector Contacts



Contact Type: Pin

Contact Mating Area Plating Material: Tin

Product Terminates To: Printed Circuit Board

Contact Current Rating (Max): 45 A

Circuit Application: Power

## **Features**

#### **Contact Features**

Contact Type	Pin
Contact Mating Area Plating Material	Tin
Contact Current Rating (Max)	45 A
Termination Features	
Rectangular Termination Post & Tail Thickness	.81 mm[.031 in]
Rectangular Termination Post & Tail Width	1.27 mm[.05 in]
Product Terminates To	Printed Circuit Board
Product Terminates To  Usage Conditions	Printed Circuit Board
	Printed Circuit Board $-40-125~^{\circ}\text{C}[-40-257~^{\circ}\text{F}]$
Usage Conditions	
Usage Conditions  Operating Temperature Range	

Bag & Box

## **Product Compliance**

Packaging Method

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



# Customers Also Bought























### **Documents**

**Product Drawings** 

PCB CONTACT, CU/AG, R/A, 45A, SHOR

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1744340-2\_A\_c-1744340-2-a.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1744340-2\_A\_c-1744340-2-a.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1744340-2\_A\_c-1744340-2-a.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

Pin Contact, Tin, Power, -40 – 125 °C [-40 – 257 °F]



# Application Specification

English