# **Product data sheet**





## Suppressor module, TeSys K, RC circuit - 110 to 250V

LA4KA1U

Product availability: Stock - Normally stocked in distribution

Price\*: 11.76 USD

#### Main

Range	TeSys	
Device short name	LA4K	
Product or Component Type	Suppressor module	
Product Compatibility	CA2K LC1K	
	LC7K	

## Complementary

mounting location	Front side	
Mounting Mode	Clip-on	
Suppressor technology	RC circuit	
[Uc] control circuit voltage	110250 V AC	
Maximum peak voltage	3 Uc	
Local signalling	LED	
Quantity per Set	Set of 5	
Height	1.02 in (26 mm)	
Width	0.2 in (6 mm)	
Depth	0.9 in (22 mm)	
Net Weight	0.02 lb(US) (0.01 kg)	

#### **Environment**

Standards	UL 60947-5-1 CSA C22.2 No 60947-5-1 EN/IEC 60947-5-1	
Product Certifications	UL CSA CE UKCA	
IP degree of protection	IP2XIEC 60529	
Protective treatment	TCIEC 60068 TCDIN 50016	
Ambient Air Temperature for Operation	-13122 °F (-2550 °C)	
Ambient Air Temperature for Storage	-58176 °F (-5080 °C)	

### Ordering and shipping details

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Category	US10l1222341	
Discount Schedule	0112	
GTIN	3389110230093	
Returnability	Yes	
Country of origin	ID	

# **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	0.315 in (0.800 cm)	
Package 1 Width	1.102 in (2.800 cm)	
Package 1 Length	1.654 in (4.200 cm)	
Package 1 Weight	0.141 oz (4.000 g)	
Unit Type of Package 2	BB1	
Number of Units in Package 2	5	
Package 2 Height	1.102 in (2.800 cm)	
Package 2 Width	2.047 in (5.200 cm)	
Package 2 Length	1.693 in (4.300 cm)	
Package 2 Weight	0.882 oz (25.000 g)	
Unit Type of Package 3	S01	
Number of Units in Package 3	420	
Package 3 Height	5.906 in (15.000 cm)	
Package 3 Width	5.906 in (15.000 cm)	
Package 3 Length	15.748 in (40.000 cm)	
Package 3 Weight	5.891 lb(US) (2.672 kg)	

## **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance



Reach Free Of Svhc



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	No need of specific recycling operations