1411402

https://www.phoenixcontact.com/us/products/1411402

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Coding profile, red, for insertion into the 5-pos. QUICKON dome and connector, can be positioned in  $72^{\circ}$  increments.

### Commercial data

Item number	1411402
Packing unit	10 pc
Minimum order quantity	10 рс
Note	Made to order (non-returnable)
Sales key	BF50
Product key	BF6ZWX
Catalog page	Page 494 (C-2-2019)
GTIN	4046356932059
Weight per piece (including packing)	1 g
Weight per piece (excluding packing)	1 g
Customs tariff number	39269097
Country of origin	DE

1411402

https://www.phoenixcontact.com/us/products/1411402



### Technical data

#### Product properties

Product type	Coding element
Product family	QPD

### Material specifications


Color	red (RAL 3001)
Material	PA
Flammability rating according to UL 94	V0


1411402


https://www.phoenixcontact.com/us/products/1411402



## Drawings







1411402

https://www.phoenixcontact.com/us/products/1411402



## Classifications

#### ECLASS

ECLASS-11.0	27440203
ECLASS-12.0	27440203
ECLASS-13.0	27440203

### ETIM

ETIM 9.0		EC002311
UNSPSC		
UNSPSC 21.	)	39121400

1411402

https://www.phoenixcontact.com/us/products/1411402



### Environmental product compliance

#### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com