

# MCV 1,5/12-G-3,81 PIN 16,1 - 1829535

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)


PCB headers, nominal current: 8 A, number of positions: 12, pitch: 3.81 mm, color: green, contact surface: Tin, mounting: Wave soldering



The figure shows the 10-pos. standard item

## Your advantages

- ☑ Well-known mounting principle allows worldwide use
- ✓ Vertical connection enables multi-row arrangement on the PCB
- Maximum flexibility when it comes to device design one header for connectors with different connection technologies









## **Key Commercial Data**

Packing unit	50 pc
GTIN	4 046356 897426
GTIN	4046356897426

### Technical data

#### **Dimensions**

Pitch	3.81 mm
Dimension a	41.91 mm
Height	10 mm
Length of the solder pin	16.1 mm
Pin dimensions	0.8 x 0.8 mm

#### General

Range of articles	MCV 1,5/G
Rated voltage (III/3)	160 V
Connection in acc. with standard	EN-VDE
Nominal current I <sub>N</sub>	8 A
Color	green



# MCV 1,5/12-G-3,81 PIN 16,1 - 1829535

# Technical data

Number of positions	12
Standards and Regulations	
Connection in acc. with standard	EN-VDE
Environmental Product Compliance	
China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Approvals		
Approvals		
EAC		
Ex Approvals		

## Approval details

EAC	B.01742
-----	---------

Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany

Tel. +49 5235 300 Fax +49 5235 3 41200

http://www.phoenixcontact.com

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 1829535