




Positive Lock | Mark I, Positive Lock 250

TE Internal #: 880646-1

Receptacle, 20 – 17 AWG Wire Size, .51 – 1.03 mm<sup>2</sup> Wire Size,  
Mating Tab Width 6.35 mm [.25 in], Straight, Brass, Positive Lock  
250, Quick Disconnects

[View on TE.com >](#)

Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **.51 – 1.03 mm<sup>2</sup>**

Mating Tab Width: **6.35 mm [.25 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

### Features

#### Product Type Features

Insertion Force	Low
-----------------	-----

#### Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

#### Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	6.35 mm [.25 in]
Mating Tab Thickness	.81 mm [.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Unplated
Crimp Type	F-Crimp
Barrel Type	Open

#### Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------



### Mechanical Attachment

Wire Insulation Support	With
Mating Retention Type	Dimple

### Dimensions

Terminal Material Thickness	.41 mm[.016 in]
Product Length	20.7 mm[.815 in]
Compatible Insulation Diameter Range	2.01 – 3.3 mm[.079 – .13 in]
Wire Size	.51 – 1.03 mm <sup>2</sup>

### Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

### Industry Standards

Compatible With Agency/Standards Products	UL
---	----

### Packaging Features

Packaging Quantity	1500
Packaging Method	Reel

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 1380088-1  
PL MKIII .250 REC 0.5-1.0MM2



TE Part # 1855664-1  
HDM/FA SAPR.080F.140F LM CUT



TE Part # 1855664-2  
HDM/FA SAPR.080F.140F BENCH K CUT



TE Part # 1855664-3  
HDM/FA SAPR.080F.140F BENCH G CUT



TE Part # 1855664-6  
HDM/FA SAPR.080F.140F LM CONT



TE Part # 2151553-2  
OCEAN\_2.0\_Applicator-S-080F140F-RSA



TE Part # 2305570-1  
Strip Terminal Cutter-Side Feed-No Crimp




TE Part # 7-2151553-2  
OCEAN\_2.0\_Applicator-S-080F140F




**KIT**  
REPRESENTATION ONLY

TE Part # 7-2151553-7  
OCEAN\_2.0\_SPARE\_PART\_KIT-080F140F


## Also in the Series | Mark I




Automotive Housings(2)



Automotive Terminals(4)



Crimp Terminal Housings(24)



Insertion & Extraction Tools(1)




PCB Headers & Receptacles(20)



Quick Disconnects(29)

## Also in the Series | Positive Lock 250



Automotive Terminals(1)




Crimp Terminal Housings(190)



Insertion & Extraction Tools(3)



Insulation Boots & Sleeves(4)



Quick Disconnects(185)

## Customers Also Bought



TE Part #2-1744036-6  
06P ECONOMY POWER .200 CL HSG



TE Part #2232723-1  
PTL MFBL RECPT CONTACT, 16-19 AWG, 2X22



TE Part #1-2133394-1  
187 FASTON HSG.,REC.,1 POS, NATRUAL



TE Part #626279-1  
RING TONGUE 0.5-1.50 MM2 PLAINNUBR



TE Part #880682-1  
FASTON 250 PIGGY-BACK REC 0.5-1.0 MM2 BR



TE Part #62131-6  
.090 CLUSTER REC.



TE Part #2232900-6  
ECONOMY POWER TPA RETAINER



TE Part #1-880309-4  
FASTON .250 SERIES (6.3 MM) HOUSING



## Documents

### Product Drawings

[PL REC 0.5-1.0MM2 0.40 X 52.32 BR](#)

English

---

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_880646-1\\_E1.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_880646-1\\_E1.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_880646-1\\_E1.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Product Specifications

[Application Specification](#)

English