# 2142970-1 PENDING OBSOLESCENCE

### microSFP+

TE Internal #: 2142970-1 TE Internal Description: CABLE ASSY, MICRO SFP+ TO STD SFP+, 0.5M

#### View on TE.com >

Cable Assemblies > Copper Cable Assemblies > Pluggable I/O Cable Assemblies

Cable Assembly Type: Micro SFP+ to SFP+ Cable Assembly (End A): Micro SFP+ Plug Cable Assembly (End B): SFP+ Plug Wire Size: .129 mm<sup>2</sup>

## Features

### **Product Type Features**

1. Contraction of the second s

Cable Assembly Category	High Speed
Cable Assembly Type	Micro SFP+ to SFP+
Cable Assembly (End A)	Micro SFP+ Plug
Cable Assembly (End B)	SFP+ Plug
Cable Style	Madison TurboTwin - Round Jacketed



#### Cable Style

## **Configuration Features**

Number of Positions	4			
Number of Pairs	2			
Number of Signal Positions	4			
Electrical Characteristics				
Impedance	100 Ω			
Signal Characteristics				
Data Rate	10 Gb/s			
Body Features				
Cable Color	Black			
Cable Flammability Rating	UL 1581			
Equalized	No			
Dimensions				
Wire Size	.129 mm <sup>2</sup>			

CABLE ASSY, MICRO SFP+ TO STD SFP+, 0.5M



Outrida Calala Diamatan	
Outside Cable Diameter	5.96 mm[.235 in]
Operation/Application	
Shielded	Yes
Halogen Free	Yes
Other	
Cable Assembly Length	.5 m[.5 ft]
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Not Yet Reviewed
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024
	(241) Candidate List Declared Against: JAN 2023
	(233)
	SVHC > Threshold:
	Pb (3.7% in Component part)
	DBMC (1.78% in Component part)
	<b>Article Safe Usage Statements:</b> Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not handle until all safety precautions have been read and

Halogen Content

Solder Process Capability

understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Yet Reviewed for halogen content

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## **Compatible Parts**

#### CABLE ASSY, MICRO SFP+ TO STD SFP+, 0.5M







Also in the Series microSFP+

CABLE ASSY, MICRO SFP+ TO STD SFP+, 0.5M





## Customers Also Bought



TE Part #1761786-1 CONNECTOR ASSEMBLY, SEC II POWER, DUAL P	TE Part #2007088-3 CONNECTOR ASSEMBLY, SEC II POW	TE Part #ZPF000000000007532 983-0SE 12-12 P6	TE Part #ZPF000000 983-6SE 14-04 SN
TE Part #2142970-2 CABLE ASSY, MICRO SFP+ TO STD SFP+, 1M	TE Part #2142970-4 CABLE ASSY, MICRO SFP+ TO STD SFP+, 3M		

## Documents

Product Drawings CABLE ASSY, MICRO SFP+ TO STD SFP+, 0.5M

English

Datasheets & Catalog Pages MICRO SFP+ CONNECTOR & CABLE ASSEMBLY

English

**Product Specifications** 

2142970-1

CABLE ASSY, MICRO SFP+ TO STD SFP+, 0.5M



Application Specification

English