Specifications



APC Replacement Battery Cartridge #46 with 2 Year Warranty

RBC46

Overview

Lead time

Usually in Stock

Main

| Product or component type | Replacement battery cartridge |
|---------------------------|--|
| Number of cables | 1 |
| Battery type | Lead-acid battery |
| Provided equipment | All required connectors Battery recycling guide Reusable packaging Installation guide |

Batteries & Runtime

| Number of battery free slots | 0 |
|--|------|
| Number of battery filled slots | 0 |
| Battery voltage | 12 V |
| Number of battery replacement quantity | 1 |

Physical

| Height | 11.2 cm |
|---------------|--------------------|
| Width | 9.9 cm |
| Depth | 7.4 cm |
| Net weight | 1.7 kg |
| mounting mode | Not rack-mountable |

Output

Battery capacity

5.1 Ah

Environmental

| Ambient air temperature for operation | 040 °C |
|---------------------------------------|------------------------------|
| Operating altitude | 010000 ft |
| Relative humidity | 095 % |
| Ambient air temperature for storage | -1545 °C |
| Storage altitude | 0.00000000015240.000000000 m |
| Storage Relative Humidity | 095 % |

Packing Units

| v | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 15.9 cm |
| Package 1 Width | 17.8 cm |
| Package 1 Length | 18.4 cm |
| Package 1 Weight | 1.956 kg |

Contractual warranty

Warranty

2 years repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

EQ

Guide to assess a product's sustainability >



Take-back Transparency RoHS/REACh

Resource performance

/ Take-Back Program Available

Well-being performance

Rohs Exemption Information Yes

Certifications & Standards

| Eu Rohs Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
|---------------------------|--|
| China Rohs Regulation | China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End of Life Information |
| California Proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |