

https://www.phoenixcontact.com/us/products/2809238



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Wiring bridge for modules with connecting pitch 17.5 mm, 1-phase, 57-pos.

Your advantages

- · In combination with other devices in the distribution board, such as residual current devices and miniature circuit breakers
- · Practical wiring of all common applications
- · For combinations of lightning and surge arresters

Commercial data

Item number	2809238
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	CL18
Product key	CL132Z
Catalog page	Page 101 (C-4-2019)
GTIN	4017918076306
Weight per piece (including packing)	307.5 g
Weight per piece (excluding packing)	306 g
Customs tariff number	85369095
Country of origin	DE



https://www.phoenixcontact.com/us/products/2809238



Technical data

Product properties

Housing material

Contact material

' '	
Product type	Bridge
Туре	Comb bridge
Number of positions	57
Data management status	
Article revision	02
Electrical properties	
Number of phases	1
Nominal current I _N	100 A
Material specifications	
Color	gray (RAL 7042)
	Copper color

Plastic E-Cu 58



https://www.phoenixcontact.com/us/products/2809238



Classifications

ECLASS

ECLASS	i-11.0	27371306
ECLASS	i-12.0	27371306
ECLASS	-13.0	27371306
ETIM		
ETIM 9.0)	EC000215

2809238

https://www.phoenixcontact.com/us/products/2809238



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com