

1


2

3

4


PRODUCT NUMBER  
XXXXX-YYY HTLF

- LEAD FREE OPTION  
SEE NOTE 1,8
- TUBE PACKAGING OPTION  
SEE NOTE 1
- HIGH TEMPERATURE PLASTIC  
SEE NOTE 1
- NO OF POSITIONS  
SEE NOTE 1
- PIN PLATING  
SEE SHEET 2
- BASE PART NO.




TOP VIEW

$\varnothing .020/.51$  (M) U (M) V W  
NOTE 4




68020-X XX-XXX XXX LF

- TAIL LENGTH (EXAMPLE BELOW)  
3.0mm=030 12.8mm=128 (SEE NOTE 11 & 12)
- MATING LENGTH (EXAMPLE BELOW)  
5.0mm=050 25.5mm=255 (SEE NOTE 11 & 12)
- TOTAL NUMBER OF POSITION  
FROM 2(2X1) THRU 72 (2X36) POSITIONS
- PIN PLATING (SEE NOTE 9)  
1=0.76µm Au  
4= PURE TIN  
8=0.36µm Au
- BASE PART NO.



SIDE VIEW



END VIEW



Copyright FCI.

www.fciconnect.com			surface 6.4 ISO 1302	tolerance std ISO 406 ISO 1101	projection ISO 1101	INCH/MM
TOLERANCES UNLESS OTHERWISE SPECIFIED			ANGULAR	LINEAR	size A4	Scale 1.000
Dr	D.WIHTING	03/08/93	0.X	±0.3	ECN	
Eng	T.HANNA	03/08/93	0.XX	±0.15		
Chr	T.BREWNAKER	03/08/93	0.XXX	±0.05		
Appr	T.HANNA	03/08/93	Product family BERGSTIK		Spec ref	
title BERGSTIK® II HEADER .100/2.54cc DR R/A			dwg no 68020		Rev. BM	
catalog no			Product-Customer Drw		sheet 1 of 5	

rev	ecn no	dr	date
BK	ELX-N-16105	ZK	2013-10-22
BL	ELX-N-19718	J.H	2014-12-11
BM	ELX-N-20595	J.H	2015-03-30
BG	M08-0331	MHT	12/01/08
BH	M09-0105	MHT	7/10/09
BJ	N11-0118	J.Z	2011-04-12

PIN PLATING CODES:

XXXX-1YY	30u"/0.76u MIN (SEE NOTE 9) OVER 50u"/1.27u MIN Ni
XXXX-2YY	15u"/0.38u MIN (SEE NOTE 9) OVER 50u"/1.27u MIN Ni
XXXX-3YY	50u"/1.27u MIN (SEE NOTE 9) OVER 50u"/1.27u MIN Ni
XXXX-4YY	100u"/2.54u MIN Sn OVER 50u"/1.27u MIN Ni (SEE NOTE 10)
XXXX-4YYHLF	
XXXX-5YY	15u"/0.38u MIN (SEE NOTE 9) OVER 50u"/1.27u MIN Ni
XXXX-6YY	30u"/0.76u MIN (SEE NOTE 9) OVER 50u"/1.27u MIN Ni
XXXX-7YY	30u"/0.76u MIN (SEE NOTE 9) OVER 50u"/1.27u MIN Ni
XXXX-8YY	15u"/0.38u MIN (SEE NOTE 9) OVER 50u"/1.27u MIN Ni
XXXX-9YY	15u"/0.38u MIN (SEE NOTE 9) OVER 50u"/1.27u MIN Ni
XXXX-0YY	30u"/0.76u MIN (SEE NOTE 9) OVER 50u"/1.27u MIN Ni

NOTES

1. PART NUMBER OPTIONS:

PIN PLATING CODES (SEE ABOVE)

HIGH TEMP. MATERIAL:

PART NUMBERS WITH AND WITHOUT "H" WILL BE SUPPLIED WITH HIGH TEMPERATURE PLASTIC

NUMBER OF POSITION:

EVEN NUMBER OF POSITIONS FROM 2 (2X1) THRU 72 (2X36).

PACKAGING:

PACKAGED IN POLY BAGS.

EIGHT DIGIT PART NUMBERS FOLLOWED BY A "T" ARE PACKAGED IN TUBES. SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.

LEAD FREE:

ADD "HLF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION, NOT AVAILABLE FOR -5YY,-5YYH,-6YY & -6YYH.

2. BODY MATERIAL:

MANUFACTURER'S OPTION OF NYLON, PCT GLASS FIBER REINFORCED, OR MINERAL FILLED LCP FLAME RETARDANT PER UL-94V-0. COLOR: BLACK.

PART NUMBERS WITH AND WITHOUT "H" SUFFIX WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 20 SECONDS IN WAVE SOLDER, INFRA-RED OR VAPOR PHASE SOLDER PROCESS.

3. PIN MATERIAL: PHOS-BRONZE.


4. MEASURED WITH PART IN RESTRAINED CONDITION.

5. TWO SIDES OF PIN TIPS NOT PLATED. TYPICAL BOTH ENDS.

6. 2LBS/0.9KG MIN PIN RETENTION IN EITHER DIRECTION.

7. MILITARY BERGSTIK HEADER  
P/N XXXXX-YYY-MIL  
NOT AVAILABLE.

- 8. THESE PRODUCTS MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
- 9. PLATING OPTIONS:  
PERFORMANCE PLATING WILL BE EITHER GOLD OR GXT ON POST OR TAIL, OPTIONALLY (78~295u"/~2~7.5u) TIN ON TAIL.
- 10. THIS PRODUCT HAS 100% TIN PLATING IN THE INTERFACE AND HAS NOT BEEN TESTED FOR WHISKER GROWTH IN ALL INTERCONNECT ENVIRONMENTS."
- 11. THE OAL DON'T EXCEED 31mm  
OAL= MATTING DIM + TAIL DIM +4.0mm<=31mm \*WHERE THE SUM OF TAIL LEGTH DON'T EXCEED 27mm\* TAIL  
TAIL LENGTH MIN 2.00mm TAIL LENGTH MAX 10.4mm  
MATTING LENGTH MIN 1.5mm MATTING LENGTH MAX 25.4mm
- 12. INCREMENTS BY 0.1mm IN LENGTH ONLY
- 13. FOR ESPECIAL PACKAGING REQUEST PLEASE CONTACT PRODUCT MANAGER FOR AVAILABILITY
- 14. BEND DIMENSION AT 1.5mm ONLY
- 15. TO DETERMINE DIMENSIONS:  
N=NUMBER OF POSITION PER ROW  
EXAMPLE: 10 PDS. N X .100/2.54



Copyright FCI.

www.fciconnect.com			surface ISO 1302 ✓	tolerance std ISO 406 ISO 1101	projection A4	INCH/MM ↔
			TOLERANCES UNLESS OTHERWISE SPECIFIED			
Dr	D.WIHTING	03/08/93	ANGULAR	0.X	±0.3	size A4
Eng	T.HANNA	03/08/93	LINEAR	0.XX	±0.15	Scale 1.000
Chr	T.BREWNAKER	03/08/93	0° ±2°	0.XXX	±0.05	ECN
Appr	T.HANNA	03/08/93	Product family	BERGSTIK	Spec ref	
FCI		title		68020		Rev. BM
		BERGSTIK® II HEADER .100/2.54cc DR R/A				
		catalog no		Product-Customer Drw		sheet 2 of 5

1

2

3

4

PRODUCT NUMBER	MATING LENGTH		TAIL LENGTH		BEND DIM.		PIN TO SIDE		BODY WIDTH		PACKAGING	LF OPTION	
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H	DIM J	DIM J	DIM K	DIM K			
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC			
68020-YYY	0.230	5.84	0.095	2.41	0.060	1.52	0.045	1.14	0.190	4.83	POLY BAGS/TUBES	NOTE 1,8	
68021-YYY	0.230	5.84	0.120	3.05	0.060	1.52	0.045	1.14	0.190	4.83	POLY BAGS		
68022-YYY	0.318	8.08	0.110	2.79	0.060	1.52	0.070	1.78	0.240	6.10	POLY BAGS		
68025-YYY	0.230	5.84	0.195	4.95	0.060	1.52	0.045	1.14	0.190	4.83	POLY BAGS		
68405-YYY	0.230	5.84	0.095	2.41	0.060	1.52	0.070	1.78	0.240	6.10	POLY BAGS		
<del>68452-YYY</del>	<del>0.380</del>	<del>9.65</del>	<del>0.110</del>	<del>2.79</del>	<del>0.060</del>	<del>1.52</del>	<del>0.070</del>	<del>1.78</del>	<del>0.240</del>	<del>6.10</del>	<del>POLY BAGS</del>		
68459-YYY	0.318	8.08	0.150	3.81	0.060	1.52	0.070	1.78	0.240	6.10	POLY BAGS/TUBES		
<del>68462-YYY</del>	<del>0.400</del>	<del>10.16</del>	<del>0.120</del>	<del>3.05</del>	<del>0.060</del>	<del>1.52</del>	<del>0.045</del>	<del>1.14</del>	<del>0.190</del>	<del>4.83</del>	<del>POLY BAGS</del>		
<del>68463-YYY</del>	<del>0.230</del>	<del>5.84</del>	<del>0.110</del>	<del>2.79</del>	<del>0.060</del>	<del>1.52</del>	<del>0.070</del>	<del>1.78</del>	<del>0.240</del>	<del>6.10</del>	<del>POLY BAGS</del>		
68480-YYY	0.318	8.08	0.110	2.79	0.060	1.52	0.045	1.14	0.190	4.83	POLY BAGS		
68492-YYY	0.230	5.84	0.150	3.81	0.060	1.52	0.070	1.78	0.240	6.10	POLY BAGS		
68493-YYY				UNAVAILABLE									
68695-YYY	0.230	5.84	0.090	2.29	0.060	1.52	0.045	1.14	0.190	4.83	POLY BAGS		
<del>68696-YYY</del>	<del>0.318</del>	<del>8.08</del>	<del>0.125</del>	<del>3.18</del>	<del>0.060</del>	<del>1.52</del>	<del>0.045</del>	<del>1.14</del>	<del>0.190</del>	<del>4.83</del>	<del>POLY BAGS</del>		
68697-YYY	0.230	5.84	0.125	3.18	0.060	1.52	0.045	1.14	0.190	4.83	POLY BAGS		
68715-YYY	0.138	3.51	0.138	3.51	0.060	1.52	0.045	1.14	0.190	4.83	POLY BAGS		
68728-YYY				UNAVAILABLE									
<del>68740-YYY</del>	<del>0.345</del>	<del>8.76</del>	<del>0.110</del>	<del>2.79</del>	<del>0.060</del>	<del>1.52</del>	<del>0.070</del>	<del>1.78</del>	<del>0.240</del>	<del>6.10</del>	<del>POLY BAGS</del>		
<del>68759-YYY</del>	<del>0.275</del>	<del>6.99</del>	<del>0.120</del>	<del>3.05</del>	<del>0.060</del>	<del>1.52</del>	<del>0.045</del>	<del>1.14</del>	<del>0.190</del>	<del>4.83</del>	<del>POLY BAGS</del>		
<del>68780-YYY</del>	<del>0.230</del>	<del>5.84</del>	<del>0.039</del>	<del>0.99</del>	<del>0.060</del>	<del>1.52</del>	<del>0.045</del>	<del>1.14</del>	<del>0.190</del>	<del>4.83</del>	<del>POLY BAGS</del>		
<del>69147-YYY</del>	<del>0.540</del>	<del>13.72</del>	<del>0.260</del>	<del>6.60</del>	<del>0.060</del>	<del>1.52</del>	<del>0.045</del>	<del>1.14</del>	<del>0.190</del>	<del>4.83</del>	<del>POLY BAGS</del>		
69186-YYY				UNAVAILABLE								NOTE 1,8	
<del>72240-YYYH</del>	<del>0.550</del>	<del>13.97</del>	<del>0.120</del>	<del>3.05</del>	<del>0.060</del>	<del>1.52</del>	<del>0.070</del>	<del>1.78</del>	<del>0.240</del>	<del>6.10</del>	<del>POLY BAGS</del>		
<del>72261-YYYH</del>	<del>0.100</del>	<del>2.54</del>	<del>0.100</del>	<del>2.54</del>	<del>0.060</del>	<del>1.52</del>	<del>0.045</del>	<del>1.14</del>	<del>0.190</del>	<del>4.83</del>	<del>POLY BAGS</del>		
<del>72324-YYYH</del>	<del>0.550</del>	<del>13.97</del>	<del>0.260</del>	<del>6.60</del>	<del>0.060</del>	<del>1.52</del>	<del>0.070</del>	<del>1.78</del>	<del>0.240</del>	<del>6.10</del>	<del>POLY BAGS</del>		
<del>72410-YYYH</del>	<del>0.120</del>	<del>3.05</del>	<del>0.350</del>	<del>8.89</del>	<del>0.120</del>	<del>3.05</del>	<del>0.070</del>	<del>1.78</del>	<del>0.240</del>	<del>6.10</del>	<del>POLY BAGS</del>		
<del>74430-YYYH</del>	<del>0.000</del>	<del>0.00</del>	<del>0.233</del>	<del>5.92</del>	<del>0.060</del>	<del>1.52</del>	<del>0.045</del>	<del>1.14</del>	<del>0.190</del>	<del>4.83</del>	<del>POLY BAGS</del>		



Copyright FCI.

www.fciconnect.com			surface ISO 1302 ✓	tolerance std ISO 406 ISO 1101	projection 	INCH/MM ↔
			TOLERANCES UNLESS OTHERWISE SPECIFIED			Scale 1.000
Dr	D.WIHTING	03/08/93	ANGULAR	LINEAR	size A4	
Eng	T.HANNA	03/08/93	0.X	±0.3		
Chr	T.BREWNAKER	03/08/93	0.XX	±0.15		
Appr	T.HANNA	03/08/93	0.XXX	±0.05	ECN	
Product family			BERGSTIK		Spec ref	
	title BERGSTIK® II HEADER .100/2.54cc DR R/A		dwg no 68020		Rev. BM	
catalog no			Product-Customer Drw		sheet 3 of 5	

1

2

3

4

1

2

3

4

PRODUCT NUMBER	MATING LENGTH		TAIL LENGTH		BEND DIM.		PIN TO SIDE		BODY WIDTH		PACKAGING	LF OPTION
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H	DIM J	DIM J	DIM K	DIM K		
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC		
78576-XXX	0.120	3.05	0.120	3.05	0.060	1.52	0.070	1.78	0.240	6.10	-POLY BAGS	OB
78923-XXX	0.240	6.10	0.095	2.41	0.060	1.52	0.070	1.78	0.240	6.10	-POLY BAGS	OB
78951-XXX	0.500	12.70	0.120	3.05	0.060	1.52	0.045	1.14	0.190	4.83	-POLY BAGS	OB
79200-XXX	0.155	3.94	0.280	7.11	0.060	1.52	0.070	1.78	0.240	6.10	-POLY BAGS	OB
79201-XXX	0.225	5.72	0.280	7.11	0.060	1.52	0.070	1.78	0.240	6.10	-POLY BAGS	OB
79202-XXX	0.245	6.22	0.280	7.11	0.060	1.52	0.070	1.78	0.240	6.10	-POLY BAGS	OB
79203-XXX	0.315	8.00	0.280	7.11	0.060	1.52	0.070	1.78	0.240	6.10	-POLY BAGS	OB
79204-XXX	0.177	4.50	0.410	10.41	0.060	1.52	0.070	1.78	0.240	6.10	-POLY BAGS	OB
79205-XXX	0.25	6.35	0.410	10.41	0.060	1.52	0.070	1.78	0.240	6.10	-POLY BAGS	OB
79206-XXX	0.315	8.00	0.410	10.41	0.060	1.52	0.070	1.78	0.240	6.10	-POLY BAGS	OB
79248-XXX												NOTE 1,8
79257-XXX	0.230	5.84	0.120	3.05	0.060	1.52	0.070	1.78	0.240	6.10	POLY BAGS/TUBES	
79258-XXX	0.318	8.08	0.120	3.05	0.060	1.52	0.070	1.78	0.240	6.10	POLY BAGS/TUBES	
79807-XXX												
79841-XXX	0.060	1.52	0.230	5.84	0.060	1.52	0.045	1.14	0.190	4.83	-POLY BAGS	OB
86385-XXX	0.260	6.6	0.120	3.05	0.060	1.52	0.070	1.78	0.240	6.10	-POLY BAGS	OB
86840-XXX	0.318	8.08	0.230	5.84	0.060	1.52	0.070	1.78	0.240	6.10	POLY BAGS	
86867-XXX												
88822-XXX	0.318	8.08	0.080	2.03	0.060	1.52	0.070	1.78	0.240	6.10	-POLY BAGS	OB
89292-XXX	0.120	3.05	0.300	7.62	0.120	3.05	0.045	1.14	0.190	4.83	-POLY BAGS	OB
90234-XXX	0.130	3.30	0.195	4.95	0.060	1.52	0.045	1.14	0.190	4.83	-POLY BAGS	OB
92634-XXX	0.318	8.08	0.318	8.08	0.060	1.52	0.045	1.14	0.190	4.83	POLY BAGS	
93162-XXX	0.230	5.84	0.400	10.16	0.150	3.81	0.045	1.14	0.190	4.83	-POLY BAGS	OB
93932-XXX	0.200	5.08	0.120	3.05	0.060	1.52	0.070	1.78	0.240	6.10	-POLY BAGS	OB
93939-XXX	0.160	4.06	0.120	3.05	0.060	1.52	0.070	1.78	0.240	6.10	POLY BAGS	NOTE 1,8
94687-XXX	0.430	10.92	0.230	5.84	0.060	1.52	0.045	1.14	0.190	4.83	-POLY BAGS	OB
94688-XXX	0.385	9.78	0.280	7.11	0.060	1.52	0.070	1.78	0.240	6.10	-POLY BAGS	OB

A

A

B

B

C

C



Copyright FCI.

D

D

www.fciconnect.com			surface ISD 1302 ✓	tolerance std ISD 406 ISD 110	projection 	INCH/MM ↔
			TOLERANCES UNLESS OTHERWISE SPECIFIED			Scale 1.000
Dr	D.WIHTING	03/08/93	ANGULAR	LINEAR	0.X ±0.3 0.XX ±0.15 0.XXX ±0.05	size A4
Eng	T.HANNA	03/08/93	0° ±2°			ECN
Chr	T.BREWNAKER	03/08/93				
Appr	T.HANNA	03/08/93	Product family	BERGSTIK	Spec ref	
	title BERGSTIK® II HEADER .100/2.54cc DR R/A		eng n° 68020		Rev. BM	
catalog no			Product-Customer Drw		sheet 4 of 5	

1

2

3

4

PRODUCT NUMBER	MATING LENGTH		TAIL LENGTH		BEND DIM.		PIN TO SIDE		BODY WIDTH		PACKAGING	LF OPTION
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H	DIM J	DIM J	DIM K	DIM K		
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC		
<del>95035-XYH</del>	<del>0.230</del>	<del>5.84</del>	<del>0.400</del>	<del>10.16</del>	<del>0.060</del>	<del>1.52</del>	<del>0.045</del>	<del>1.14</del>	<del>0.190</del>	<del>4.83</del>	<del>POLY BAGS</del>	OB
<del>95182-XYH</del>	<del>0.400</del>	<del>10.16</del>	<del>0.110</del>	<del>2.79</del>	<del>0.060</del>	<del>1.52</del>	<del>0.070</del>	<del>1.78</del>	<del>0.240</del>	<del>6.10</del>	<del>POLY BAGS</del>	OB NOTE
<del>98358-XYH</del>	<del>0.205</del>	<del>5.21</del>	<del>0.410</del>	<del>10.41</del>	<del>0.060</del>	<del>1.52</del>	<del>0.070</del>	<del>1.78</del>	<del>0.240</del>	<del>6.10</del>	<del>POLY BAGS</del>	1,8
<del>98359-XYH</del>	<del>0.275</del>	<del>6.99</del>	<del>0.410</del>	<del>10.41</del>	<del>0.060</del>	<del>1.52</del>	<del>0.070</del>	<del>1.78</del>	<del>0.240</del>	<del>6.10</del>	<del>POLY BAGS</del>	OB
68020-144-095030LF	.374	9.50	0.118	3.00	0.060	1.52	0.070	1.78	0.240	6.10	POLY BAGS	



Copyright FCI.

www.fciconnect.com			surface ISO 1302 <input checked="" type="checkbox"/>	tolerance std ISO 406 ISO 1101	projection 	INCH/MM 
TOLERANCES UNLESS OTHERWISE SPECIFIED			ANGULAR	LINEAR	size A4	Scale 1.000
Dr	D.WIHTING	03/08/93	0.X	±0.3	ECN	
Eng	T.HANNA	03/08/93	0.XX	±0.15	ECN	
Chr	T.BREWNAKER	03/08/93	0.XXX	±0.05	ECN	
Appr	T.HANNA	03/08/93	Product family BERGSTIK		Spec ref	
	title BERGSTIK® II HEADER .100/2.54cc DR R/A			dwg no 68020	Rev. BM	
catalog no			Product-Customer Drw		sheet 5 of 5	

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

## [FCI / Amphenol:](#)

[68020-572](#) [68020-272HLF](#) [68020-572H](#) [68020-672H](#) [68020-172](#) [68020-472](#) [68020-672](#) [68020-272H](#) [92634-126HLF](#) [68020-172HLF](#) [68021-240HLF](#) [78212-172HLF](#) [78951-172HLF](#) [78978-436HLF](#) [79257-172HLF](#) [79258-172HLF](#) [79821-172HLF](#) [86503-172HLF](#) [86834-172HLF](#) [92634-172HLF](#) [68020-102HLF](#) [68020-106HLF](#) [68020-108HLF](#) [68020-110HLF](#) [68020-112HLF](#) [68020-114HLF](#) [68020-116HLF](#) [68020-118HLF](#) [68020-122HLF](#) [68020-124HLF](#) [68020-126HLF](#) [68020-128HLF](#) [68020-130HLF](#) [68020-132HLF](#) [68020-134HLF](#) [68020-136HLF](#) [68020-138HLF](#) [68020-140HLF](#) [68020-142HLF](#) [68020-144HLF](#) [68020-146HLF](#) [68020-148HLF](#) [68020-150HLF](#) [68020-152HLF](#) [68020-154HLF](#) [68020-156HLF](#) [68020-158HLF](#) [68020-160HLF](#) [68020-162HLF](#) [68020-164HLF](#) [68020-166HLF](#) [68020-168HLF](#) [68020-170HLF](#) [68020-202HLF](#) [68020-204HLF](#) [68020-206HLF](#) [68020-208HLF](#) [68020-212HLF](#) [68020-214HLF](#) [68020-216HLF](#) [68020-218HLF](#) [68020-220HLF](#) [68020-222HLF](#) [68020-224HLF](#) [68020-226HLF](#) [68020-228HLF](#) [68020-230HLF](#) [68020-232HLF](#) [68020-234HLF](#) [68020-236HLF](#) [68020-238HLF](#) [68020-240HLF](#) [68020-242HLF](#) [68020-244HLF](#) [68020-246HLF](#) [68020-248HLF](#) [68020-250HLF](#) [68020-252HLF](#) [68020-254HLF](#) [68020-256HLF](#) [68020-258HLF](#) [68020-260HLF](#) [68020-262HLF](#) [68020-264HLF](#) [68020-266HLF](#) [68020-268HLF](#) [68020-270HLF](#) [68020-402HLF](#) [68020-404HLF](#) [68020-406HLF](#) [68020-408HLF](#) [68020-410HLF](#) [68020-412HLF](#) [68020-414HLF](#) [68020-416HLF](#) [68020-418HLF](#) [68020-420HLF](#) [68020-422HLF](#) [68020-424HLF](#) [68020-426HLF](#)