
# 53421-1 - ACTIVE

## PIDG

TE Internal #: 53421-1 Closed Ring Tongue Terminal, 16 AWG, 3/8 Stud Size, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, Partially Insulated, PIDG

### View on TE.com >

Terminals & Splices > Ring Terminals > PIDG Radiation Resistant C Rings/Spades



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 2050 – 5180 CMA

Stud Size: 3/8

All PIDG Radiation Resistant C Rings/Spades (36)

## Features

**TE** 

## Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal	
Stud Size	3/8	
Sealable	No	
Wire Insulation Support Retention Type	Insulation Support	
Configuration Features		
Number of Holes	1	
Body Features		
Insulation Sleeve Color	Natural	
Stripe Color	Blue	
Contact Features		
Military Part Class	Class I	
Barrel Type	Closed	
Terminal Orientation	Straight	
Terminal Plating Material	Tin-Lead	

Closed Ring Tongue Terminal, 16 AWG, 3/8 Stud Size, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, Partially Insulated, PIDG



### **Mechanical Attachment**

Wire Insulation Support	With	
Dimensions		
Wire Size	2050 – 5180 CMA	
Stud Diameter	9.91 mm[.39 in]	
Tongue Thickness	.84 mm[.033 in]	
Product Length	30.94 mm[1.218 in]	
Compatible Insulation Diameter (Max)	3.81 mm[.15 in]	
Compatible Insulation Diameter Range	2.67 – 3.81 mm[.105 – .15 in]	
Usage Conditions		
Insulation Option	Partially Insulated	
Operating Temperature Range	150 °C[302 °F]	
Operation/Application		
Compatible With Wire Base Material	Copper	
	Copper Tin	
Compatible With Wire Base Material		

## Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece

## Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC

China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

Not Compliant

Compliant with Exemptions

Restricted Materials Above Threshold

Current ECHA Candidate List: JUNE 2024 (241)

Candidate List Declared Against: JUNE

2024 (241)

SVHC > Threshold:

Pb (13% in Component Part)

#### Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Closed Ring Tongue Terminal, 16 AWG, 3/8 Stud Size, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, Partially Insulated, PIDG



Halogen Content

Solder Process Capability

Not Low Halogen - contains Br or Cl > 900 ppm.


Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**





Closed Ring Tongue Terminal, 16 AWG, 3/8 Stud Size, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, Partially Insulated, PIDG



TE Part # 2392022-2 BLUE BATTERY DAHT KIT 220V (47387- 7 )	TE Part # 2392022-1 BLUE BATTERY DAHT KIT 110V (47387- 7 )	TE Part # 169404 CERTI-LOK DIE	TE Part # 1SET191001R0000 CRIMP-HT



## Also in the Series | PIDG



Compression Connectors(17)	Crimp Wire Pins, Tabs & Ferrules(41)	Hand Crimping Tools(2)	Knife Disconnects(11)
and the second second		and the second s	
Quick Disconnects(32)	Ring Terminals(589)	Spade Terminals(228)	Special Purpose Terminals(1)




# Customers Also Bought

**C** For support call+1 800 522 6752

Closed Ring Tongue Terminal, 16 AWG, 3/8 Stud Size, 9.91 mm [.39 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead, Partially Insulated, PIDG





## Documents

Product Drawings TERMINAL, PIDG PVF2 R 16-14 3/8

English

CAD Files 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_53421-1\_G.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_53421-1\_G.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_53421-1\_G.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.