




Specifications:

规格:

- 1.Voltage rating:250VAC/DC
额定电压: 250V AC/DC
- 2.Current rating:1A AC/DC
额定电流: 1A AC/DC
- 3.Withstanding voltage:500V AC/minute
耐受电压: ≥500V AC/分钟
- 4.Temperature range:-40℃-+105℃
温度范围: -40℃-+105℃
- 5.Insulation resistance:1000MΩMIN
绝缘电阻: ≥1000MΩ
- 6.Contact resistance:20mΩMax
接触电阻: ≥20mΩ




Material:

材料:

- 7.Rubber core:PBT UL94V-0
胶芯: PBT UL94V-0
 - 8.The iron shell:SPCC Nivkel Plating/Tin Plating
铁壳: SPCC,镀镍/镀锡
- B、成品不能有弯针, R角不一致等不良。

X08 XX W X X X 3
① ② ③ ④ ⑤ ⑥ ⑦

- ① Series N0.
- ② Row No.Pin No.XX-09;15;25;37
- ③ Welding Board Angle :W-Male
- ④ T: Tradutlional C: Car-pin
- ⑤ Planting Category: 1:1U 2:2U 3:3U 4:4U 5:5U 6:6U 7:7U
- ⑥ Color:B-BLACK W-White BL-Blue
- ⑦ 1:TYPE-1; 2:TYPE-2; 3:TYPE-3; 4:TYPE-4; 5:TYPE-5



NUMBER OF POSITIONS	DIMENSION				
	A±0.40	B±0.30	C±0.30	D±0.65	E±0.25
9	30.80	25.00	16.35	11.08	10.16
15	39.14	33.30	24.75	19.39	17.78
25	53.05	47.04	38.35	33.24	30.38
37	69.32	63.50	54.75	49.86	45.72



X08XXWXXX3	XDBLS	XDBLM
PART NO	SCREW	NUT

DSND		SCALE: N/A	MODEL TYPE: D-USB
DWN		VIEW:	PART NO.: X08XXWXXX3
CHKD		UNIT: mm/in	DWG NO.: X-X08XXWXXX3
APPD		SIZE: A4	WEIGHT SHEET REVISION
			1/1 A0

XKLB

XKB INDUSTRIAL PRECISION CO.,LIMITED

2.00±0.20 [0.079]



4.75±0.15 [0.187]

#4-40UNC

Specifications:

规格:

Material: Brass

材料: 黄铜

Plating: 50u"MIN ; 80u"MIN

电镀: 50u"镍 ; 80u"镍

广东星坤科技股份有限公司

ΔX	日期
ΔX	日期
ΔX	日期
MARK	

文件工程章

DESCRIPTION	DATE	REVISED	APPROVED
REVISIONS			

www.helloxkb.com www.helloxkb.cn www.xk-dg.cn

XKB

XKB INDUSTRIAL PRECISION CO.,LIMITED

DSND		SCALE: N/A	MODEL TYPE: D-USB 螺母
DWN		VIEW:	PART NO.: XDBLM
CHKD		UNIT: mm/in	DWG NO.: X-XDBLM
APPD		SIZE: A4	
			WEIGHT
			SHEET 1/1
			REVISION A0

#4-40UNC

4.80 [0.189]

11.80 [0.465]

4.75 ± 0.15 [0.187]

电镀: 50u"镍; 80u"镍

广东星坤科技股份有限公司										DSND			SCALE: N/A		MODEL TYPE: D-USB 螺丝																		
										ANGLAR		±5°		XKLB	DWN			VIEW: 		PART NO.: XDBLS													
ΔX										L ≤ 4		±0.2			CHKD			UNIT: mm/in		DWG NO.: X-XDBLS													
ΔY										4<L ≤ 16		±0.3			APPD			SIZE: A4															
ΔZ										16<L ≤ 63		±0.4																					
MARK										DATE		REVISED		APPROVED		L> 63		±0.5															
文件工程章										REVISIONS						UNSPECIFIED TOLERANCES						XKB INDUSTRIAL PRECISION CO.,LIMITED						WEIGHT		SHEET		REVISION	
										www.helloxkb.com www.helloxkb.cn www.xk-dg.cn																				1/1		A0	